



INWELL


INWELL INC.
16782 VON KARMAN AVE STE 25, IRVINE, CA92606-2418

HANGZHOU ELUM TECHNOLOGY GROUP CO., LTD.
ROOM 315, BUILDING 2, XIXI CENTURY CENTER,
JIANGDUN ROAD, 310030, HANGZHOU, CHINA

E-MAIL : SALES@INWELLPRODUCTS.COM
WEBSITE : WWW.INWELLPRODUCTS.COM

INWELL

GARDEN TOOLS



LOPPING SHEARS

LOPPING SHEARS

LOPPING SHEARS

MOD: W 17-001



- 5.0MM 65MN HIGH CARBON STEEL BLADE WITH TEFLON COATING, HEAT TREATMENT HRC54 +/-2
- 5.0MM 50C CARBON STEEL WITH CHROME PLATED, HEAT TREATMENT HRC46 +/-2
- GEAR FUNCTION FOR EASIER AND MORE POWERFUL CUTS
- 0.8MM STEEL HANDLE WITH POWDER COATING, PP + 15% FIBER + TPR GRIP
- PRODUCT SIZE: 750MM x 260MM x 30MM
- PRODUCT WEIGHT: 1480G +/-5%
- MAX. CUTTING CAPACITY 45MM

LOPPING SHEARS

MOD: W 17-002



- 5.0MM 65MN HIGH CARBON STEEL BLADE WITH TEFLON COATING, HEAT TREATMENT HRC54 +/-2
- 5.0MM 50C CARBON STEEL WITH CHROME PLATING, HEAT TREATMENT HRC46 +/-2
- GEAR FUNCTION FOR EASIER AND MORE POWERFUL CUTS
- ALUMINUM DIE-CASTING ANVIL
- 0.8MM STEEL HANDLE WITH POWDER COATING, PP + 15% FIBER + TPR GRIP
- PRODUCT SIZE: PRODUCT SIZE: 755MM x 235MM x 30MM
- PRODUCT WEIGHT: 1515G +/-5%
- MAX. CUTTING CAPACITY 45MM

LOPPING SHEARS

MOD: W 17-003



- 5.0MM 65MN HIGH CARBON STEEL BLADE WITH TEFLON COATING, HEAT TREATMENT HRC54 +/-2
- 5.0MM 50C CARBON STEEL WITH CHROME PLATING, HEAT TREATMENT HRC46 +/-2
- GEAR FUNCTION FOR EASIER AND MORE POWERFUL CUTS
- STEEL TELESCOPIC HANDLE WITH POWDER COATING, INNER TUBE / OUTER TUBE THICKNESS ARE BOTH 0.8MM. NYLON+30% FIBER SWITCH BASE, ABS TELESCOPIC LOCK
- PP + 15% FIBER + TPR GRIP
- PRODUCT SIZE: (685MM-935MM) x 225MM x 37MM
- PRODUCT WEIGHT: 1765G +/-5%
- MAX. CUTTING CAPACITY 45MM

LOPPING SHEARS

MOD: W 17-004



- 5.0MM 65MN HIGH CARBON STEEL BLADE WITH TEFLON COATING, HEAT TREATMENT HRC54 +/-2
- 5.0MM 50C CARBON STEEL WITH CHROME PLATING, HEAT TREATMENT HRC46 +/-2
- GEAR FUNCTION FOR EASIER AND MORE POWERFUL CUTS
- ALUMINUM DIE-CASTING ANVIL
- STEEL TELESCOPIC HANDLE WITH POWDER COATING, INNER TUBE/OUTTER TUBE THICKNESS ARE BOTH 0.8MM. NYLON + 30% FIBER SWITCH BASE, ABS TELESCOPIC LOCK
- PP+15% FIBER + TPR GRIP
- PRODUCT SIZE: (690MM-940MM) x 220MM x 37MM
- PRODUCT WEIGHT: 1785G +/-5%
- MAX. CUTTING CAPACITY 45MM

LOPPING SHEARS

MOD: W 17-005



- 5.0MM 65MN HIGH CARBON STEEL BLADE WITH TEFLON COATING, HEAT TREATMENT HRC54 +/-2
- 5.0MM 50C CARBON STEEL WITH CHROME PLATING, HEAT TREATMENT HRC46 +/-2
- GEAR FUNCTION FOR EASIER AND MORE POWERFUL CUTS
- 1.3MM ALUMINUM HANDLE WITH OXIDATION , PP + 15% FIBER + TPR GRIP
- PRODUCT SIZE: 750MM x 260MM x 30MM
- PRODUCT WEIGHT: 1130G +/-5%
- MAX. CUTTING CAPACITY 45MM

LOPPING SHEARS

MOD: W 17-006



- 5.0MM 65MN HIGH CARBON STEEL BLADE WITH TEFLON COATING, HEAT TREATMENT HRC54 +/-2
- 5.0MM 50C CARBON STEEL WITH CHROME PLATING, HEAT TREATMENT HRC46 +/-2
- GEAR FUNCTION FOR EASIER AND MORE POWERFUL CUTS
- ALUMINUM DIE-CASTING ANVIL
- 1.3MM ALUMINUM HANDLE WITH OXIDATION, PP + 15% FIBER + TPR GRIP
- PRODUCT SIZE: 755MM x 235MM x 30MM
- PRODUCT WEIGHT: 1180G +/-5%
- MAX. CUTTING CAPACITY 45MM

LOPPING SHEARS

MOD: W 17-007



- 5.0MM 65MN HIGH CARBON STEEL BLADE WITH TEFLON COATING, HEAT TREATMENT HRC54 +/-2
- 5.0MM 50C CARBON STEEL WITH CHROME PLATING, HEAT TREATMENT HRC46 +/-2
- GEAR FUNCTION FOR EASIER AND MORE POWERFUL CUTS
- ALUMINUM TELESCOPIC HANDLE WITH OXIDATION, INNER TUBE THICKNESS 1.8MM, OUTER TUBE THICKNESS 1.3MM, NYLON + 30% FIBER SWITCH BASE, ABS TELESCOPIC LOCK
- PP + 15% FIBER + TPR GRIP
- PRODUCT SIZE: (705MM-955MM) x 225MM x 37MM
- PRODUCT WEIGHT: 1370G +/-5%
- MAX. CUTTING CAPACITY 45MM

LOPPING SHEARS

MOD: W 17-008



- 5.0MM 65MN HIGH CARBON STEEL BLADE WITH TEFLON COATING, HEAT TREATMENT HRC54 +/-2
- 5.0MM 50C CARBON STEEL WITH CHROME PLATING, HEAT TREATMENT HRC46 +/-2
- GEAR FUNCTION FOR EASIER AND MORE POWERFUL CUTS
- ALUMINUM DIE-CASTING ANVIL
- ALUMINUM TELESCOPIC HANDLE WITH POWDER COATING, INNER TUBE THICKNESS 1.8MM, OUTER TUBE THICKNESS 1.3MM , NYLON + 30% FIBER SWITCH BASE, ABS TELESCOPIC LOCK
- PP + 15% FIBER + TPR GRIP
- PRODUCT SIZE: (710MM-960MM) x 220MM x 37MM
- PRODUCT WEIGHT: 1415G +/-5%
- MAX. CUTTING CAPACITY 45MM

LOPPING SHEARS

MOD: W 17-009



- BLADE MATERIAL: 65MN, SURFACE TREATED WITH TEFLON
- HANDLE MATERIAL: ALUMINUM ALLOY SPRAY MOLDING/OXIDATION + PP + TPR
- BLADE THICKNESS: 5MM

LOPPING SHEARS


MOD: W 17-010



- BLADE MATERIAL: 65MN, SURFACE TREATED WITH TEFLON
- HANDLE MATERIAL: ALUMINUM ALLOY SPRAY MOLDING / OXIDATION + PP + TPR
- BLADE THICKNESS: 5MM

LOPPING SHEARS

MOD: W 17-011




- BLADE MATERIAL: 65MN, SURFACE TREATED WITH TEFLON
- HANDLE MATERIAL: ALUMINUM ALLOY SPRAY MOLDING / OXIDATION + PP + TPR
- BLADE THICKNESS: 5MM

LOPPING SHEARS

MOD: W 17-012



- BLADE MATERIAL: 65MN, SURFACE TREATED WITH TEFLON
- HANDLE MATERIAL: ALUMINUM ALLOY SPRAY MOLDING / OXIDATION + PP + TPR
- BLADE THICKNESS: 5MM



HEDGE SHEARS

HEDGE SHEARS

HEDGE SHEARS

MOD: W 17-013



- 50C CARBON STEEL BLADE, THICKNESS 4.0MM, WHOLE BLADE HEAT TREATMENT HRC46 +/- 2, THE CUTTING EDGE WITH HIGH FREQUENCY TREATMENT HRC50-60, UPPER BLADE WITH TEFLON COATING, LOWER BLADE WITH CHROME PLATING
- 0.8 MM STEEL HANDLE WITH POWDER COATING
- PP + 15% FIBER + TPR GRIPS
- PRODUCT SIZE: 675 x 200 x 50MM
- PRODUCT WEIGHT: 1125G +/- 5%
- MAX. CUTTING CAPACITY: 6MM

HEDGE SHEARS

MOD: W 17-014



- 50C CARBON STEEL BLADE, THICKNESS 4.0MM, WHOLE BLADE HEAT TREATMENT HRC46 +/- 2, THE CUTTING EDGE WITH HIGH FREQUENCY TREATMENT HRC50-60, UPPER BLADE WITH TEFLON COATING, LOWER BLADE WITH CHROME PLATING
- STEEL TELESCOPIC HANDLE WITH POWDER COATING. INNER TUBE/OUTTER TUBE THICKNESS ARE BOTH 0.8MM, NYLON + 30% FIBER SWITCH BASE, ABS TELESCOPIC LOCK
- PP + 15% FIBER + TPR GRIPS
- PRODUCT SIZE: (750MM-950MM) x 230MM x 55MM
- PRODUCT WEIGHT: 1495G +/- 5%
- MAX. CUTTING CAPACITY: 6MM

LOPPING SHEARS

MOD: W 17-015



- 50C CARBON STEEL BLADE, THICKNESS 4.0MM, WHOLE BLADE HEAT TREATMENT HRC46 +/- 2, THE CUTTING EDGE WITH HIGH FREQUENCY TREATMENT HRC50-60, UPPER BLADE WITH TEFLON COATING, LOWER BLADE WITH CHROME PLATING
- 1.3MM ALUMINUM HANDLE WITH OXIDATION
- PP + 15% FIBER + TPR GRIPS
- PRODUCT SIZE: 675 x 200 x 50MM
- PRODUCT WEIGHT: 930G +/- 5%
- MAX. CUTTING CAPACITY: 6MM

LOPPING SHEARS

MOD: W 17-016



- 50C CARBON STEEL BLADE, THICKNESS 4.0MM, WHOLE BLADE HEAT TREATMENT HRC46 +/- 2, THE CUTTING EDGE WITH HIGH FREQUENCY TREATMENT HRC50-60, UPPER BLADE WITH TEFLON COATING, LOWER BLADE WITH CHROME PLATING
- ALUMINUM TELESCOPIC HANDLE WITH OXIDATION, INNER TUBE THICKNESS 1.8MM, OUTER TUBE THICKNESS 1.3MM. NYLON + 30% FIBER SWITCH BASE, ABS TELESCOPIC LOCK
- PP + 15% FIBER + TPR GRIPS
- PRODUCT SIZE: (750MM-950MM) x 230MM x 55MM
- PRODUCT WEIGHT: 1195G +/- 5%
- MAX. CUTTING CAPACITY: 6MM

HEDGE SHEARS

MOD: W 17-017



- HARD CHROME PLATED 65MN HIGH CARBON STEEL BLADES
- ALUMINIUM HANDLE
- PP + TPR GRIPS
- TOTAL SIZE: 650MM

HEDGE SHEARS

MOD: W 17-018



- BLADE MATERIAL: 65MN, SURFACE TREATED WITH TEFLON
- HANDLE MATERIAL: ROUND STEEL PIPE SPRAY + PP + TPR
- BLADE THICKNESS: 3.5MM

HEDGE SHEARS

MOD: W 17-019



- BLADE MATERIAL: 65MN, SURFACE TREATED WITH TEFLON
- HANDLE MATERIAL: PP + TPR
- BLADE THICKNESS: 3.5MM

HEDGE SHEARS

MOD: W 17-020



- BLADE MATERIAL: 65MN, SURFACE TREATED WITH TEFLON
- HANDLE MATERIAL: PP + TPR
- BLADE THICKNESS: 3.5MM

HEDGE SHEARS

MOD: W 17-021



- BLADE MATERIAL: 65MN, SURFACE TREATED WITH TEFLON
- HANDLE MATERIAL: PP + TPR
- BLADE THICKNESS: 3.5MM

HEDGE SHEARS

MOD: W 17-022



- BLADE MATERIAL: 65MN, SURFACE TREATED WITH TEFLON
- HANDLE MATERIAL: PP + TPR
- BLADE THICKNESS: 3.5MM

HEDGE SHEARS

MOD: W 17-023



- BLADE MATERIAL: 65MN, SURFACE TREATED WITH TEFLON
- HANDLE MATERIAL: PP + TPR
- BLADE THICKNESS: 3.5MM

HEDGE SHEARS

MOD: W 17-024



- BLADE MATERIAL: 65MN
- HANDLE MATERIAL: SEAMLESS ROUND STEEL PIPE + PP
- HIGH FREQUENCY HEAT TREATMENT
- BLADE THICKNESS: 3.5MM



PRUNING SHEARS

PRUNING SHEARS

PRUNING SHEARS

MOD: W 17-025

- HIGH CARBON STEEL BLADE WITH TEFLON COATING, HEAT TREATMENT HRC54 +/-2
- 50C CARBON STEEL WITH CHROME PLATING, HEAT TREATMENT HRC46 +/-2
- PP + 15% FIBER STRONG GRIP WITH TPR CUSHION
- ABS LOCK
- PRODUCT SIZE: 22MM x 61MM x 208MM
- PRODUCT WEIGHT: 176G +/-5%
- MAX. CUTTING CAPACITY 20MM



PRUNING SHEARS

MOD: W 17-026

- HIGH CARBON STEEL BLADE WITH TEFLON COATING, HEAT TREATMENT HRC54 +/-2
- 50C CARBON STEEL WITH CHROME PLATING, HEAT TREATMENT HRC46 +/-2
- NYLON + 30% FIBER ANVIL
- PP + 15% FIBER STRONG GRIP WITH TPR CUSHION
- ABS LOCK
- PRODUCT SIZE: 22MM x 61MM x 208MM
- PRODUCT WEIGHT: 178G +/-5%
- MAX. CUTTING CAPACITY 20MM



PRUNING SHEARS

MOD: W 17-027

- 65MN CARBON STEEL WITH CHROME PLATED, HEAT TREATMENT HRC52 +/-2
- NYLON + 30% FIBER ANVIL
- PP + 15% FIBER STRONG GRIP WITH TPR CUSHION
- ABS LOCK
- PRODUCT SIZE: 22MM x 61MM x 225MM
- PRODUCT WEIGHT: 173G +/-5%
- MAX. CUTTING CAPACITY 6MM



PRUNING SHEARS

MOD: W 17-028

- 65MN CARBON STEEL WITH CHROME PLATED, HEAT TREATMENT HRC52 +/-2
- NYLON + 30% FIBER ANVIL
- ALUMINUM DIE-CASTING HANDLE WITH TPR GRIP
- ABS LOCK
- PRODUCT SIZE: 21MM x 61MM x 225MM
- PRODUCT WEIGHT: 222G +/-5%
- MAX. CUTTING CAPACITY 6MM



PRUNING SHEARS

MOD: W 17-029


- HIGH CARBON STEEL BLADE WITH TEFLON COATING, HEAT TREATMENT HRC54 +/-2
- 50C CARBON STEEL WITH CHROME PLATING, HEAT TREATMENT HRC46 +/-2
- NYLON + 30% FIBER ANVIL
- ALUMINUM DIE-CASTING HANDLE WITH TPR GRIP
- ABS LOCK
- PRODUCT SIZE: 21MM x 61MM x 205MM
- PRODUCT WEIGHT: 232G +/-5%
- MAX. CUTTING CAPACITY 20MM



PRUNING SHEARS

MOD: W 17-030

- HIGH CARBON STEEL BLADE WITH TEFLON COATING, HEAT TREATMENT HRC54 +/-2
- ALUMINUM ALLOYED HANDLE WITH TPR GRIPS
- POM LOCK
- 65MN SPRING WITH NICKEL PLATING
- PRODUCT SIZE: 21 x 55 x 217MM
- PRODUCT WEIGHT: 201G +/-5%
- MAX. CUTTING CAPACITY: 6MM



PRUNING SHEARS

MOD: W 17-031


- HIGH CARBON STEEL BLADE WITH TEFLON COATING, HEAT TREATMENT HRC54 +/-2
- 50C CARBON STEEL WITH CHROME PLATING, HEAT TREATMENT HRC46 +/-2
- PP + 15% FIBER STRONG GRIP WITH TPR CUSHION
- SINGLE SWITCH FOR LOCKING THE BLADE AND ADJUSTING THE CUTTING WIDTH
- PRODUCT SIZE: 22MM x 63MM x 220MM
- PRODUCT WEIGHT: 214G +/-5%
- MAX. CUTTING CAPACITY 20MM



PRUNING SHEARS

MOD: W 17-032

- HIGH CARBON STEEL BLADE WITH TEFLON COATING, HEAT TREATMENT HRC54 +/-2
- 50C CARBON STEEL WITH CHROME PLATING, HEAT TREATMENT HRC46 +/-2
- NYLON + 30% FIBER ANVIL.
- PP + 15% FIBER STRONG GRIP WITH TPR CUSHION
- SINGLE SWITCH FOR LOCKING THE BLADE AND ADJUSTING THE CUTTING WIDTH
- PRODUCT SIZE: 22MM x 63MM x 220MM
- PRODUCT WEIGHT: 214G +/-5%
- MAX. CUTTING CAPACITY 20MM



PRUNING SHEARS

MOD: W 17-033

- HIGH CARBON STEEL BLADE WITH TEFLON COATING, HEAT TREATMENT HRC54 +/-2
- 50C CARBON STEEL WITH CHROME PLATING, HEAT TREATMENT HRC46 +/-2
- ALUMINUM DIE-CASTING HANDLE WITH ABS+ TPR GRIP
- SINGLE SWITCH FOR LOCKING THE BLADE AND ADJUSTING THE CUTTING WIDTH
- PRODUCT SIZE: 22MM x 63MM x 220MM
- PRODUCT WEIGHT: 272G +/-5%
- MAX. CUTTING CAPACITY 20MM



PRUNING SHEARS

MOD: W 17-034

- HIGH CARBON STEEL BLADE WITH TEFLON COATING, HEAT TREATMENT HRC54 +/-2
- 50C CARBON STEEL WITH CHROME PLATING, HEAT TREATMENT HRC46 +/-2
- NYLON + 30% FIBER ANVIL
- ALUMINUM DIE-CASTING HANDLE WITH ABS + TPR GRIP
- SINGLE SWITCH FOR LOCKING THE BLADE AND ADJUSTING THE CUTTING WIDTH
- PRODUCT SIZE: 22MM x 63MM x 220MM
- PRODUCT WEIGHT: 272G +/-5%
- MAX. CUTTING CAPACITY 20MM



PRUNING SHEARS

MOD: W 17-035


- HIGH CARBON STEEL BLADE WITH TEFLON COATING, HEAT TREATMENT HRC54 +/-2
- 50C CARBON STEEL WITH CHROME PLATING, HEAT TREATMENT HRC46 +/-2
- NYLON + 30% FIBER ANVIL
- PP + 15% FIBER STRONG GRIP WITH TPR CUSHION
- SINGLE SWITCH FOR LOCKING THE BLADE AND ADJUSTING THE CUTTING WIDTH
- MAX. CUTTING CAPACITY 20MM
- PRODUCT DIMENSION: 20MM x 68MM x 208MM
- PRODUCT WEIGHT: 207G +/-5%



PRUNING SHEARS

MOD: W 17-036


- HIGH CARBON STEEL BLADE WITH TEFLON COATING, HEAT TREATMENT HRC54 +/-2
- 50C CARBON STEEL HOOK WITH CHROME PLATING, HEAT TREATMENT HRC46 +/-2
- ALUMINUM ALLOYED HANDLE WITH TPR GRIPS
- POM LOCK, NYLON ANVIL
- 65MN SPRING WITH NICKEL PLATING
- PRODUCT SIZE: 21 x 55 x 200MM
- PRODUCT WEIGHT: 200G +/-5%
- MAX. CUTTING CAPACITY: 20MM



PRUNING SHEARS

MOD: W 17-037


- HIGH CARBON STEEL BLADE WITH TEFLON COATING, HEAT TREATMENT HRC54 +/-2
- 50C CARBON STEEL WITH CHROME PLATING, HEAT TREATMENT HRC46 +/-2
- PP + 15% FIBER STRONG GRIP WITH TPR CUSHION
- ABS LOCK
- PRODUCT SIZE: 22MM x 61MM x 208MM
- PRODUCT WEIGHT: 176G +/-5%
- MAX. CUTTING CAPACITY 20MM



PRUNING SHEARS

MOD: W 17-038

- HIGH CARBON STEEL BLADE WITH TEFLON COATING, HEAT TREATMENT HRC54 +/-2
- 50C CARBON STEEL WITH CHROME PLATING, HEAT TREATMENT HRC46 +/-2
- NYLON+ 30% FIBER ANVIL
- PP + 15% FIBER STRONG GRIP WITH TPR CUSHION
- ABS LOCK
- PRODUCT SIZE: 22MM x 61MM x 208MM
- PRODUCT WEIGHT: 178G +/-5%
- MAX. CUTTING CAPACITY 20MM



PRUNING SHEARS

MOD: W 17-039


- 65MN CARBON STEEL WITH CHROME PLATING, HEAT TREATMENT HRC52 +/-2
- NYLON + 30% FIBER ANVIL
- PP + 15% FIBER STRONG GRIP WITH TPR CUSHION
- ABS LOCK
- PRODUCT SIZE: 22MM x 61MM x 225MM
- PRODUCT WEIGHT: 173G +/-5%
- MAX. CUTTING CAPACITY 6MM



PRUNING SHEARS

MOD: W 17-040

- 65MN CARBON STEEL WITH CHROME PLATING, HEAT TREATMENT HRC52 +/-2
- NYLON + 30% FIBER ANVIL
- ALUMINUM DIE-CASTING HANDLE WITH TPR GRIP
- ABS LOCK
- PRODUCT SIZE: 21MM x 61MM x 225MM
- PRODUCT WEIGHT: 222G +/-5%
- MAX. CUTTING CAPACITY 6MM



PRUNING SHEARS

MOD: W 17-041

- BLADE MATERIAL: SK5, SURFACE TREATED WITH TEFLON
- HOOK 50 # STEEL, CHROME PLATING
- HANDLE MATERIAL: PP + 25% FIBERGLASS
- BLADE THICKNESS: 3.5MM
- HOOK THICKNESS: 4MM



PRUNING SHEARS

MOD: W 17-042

- BLADE MATERIAL: SK5, SURFACE TREATED WITH TEFLON
- HOOK 50 # STEEL, CHROME PLATING
- HANDLE MATERIAL: PP + 25% FIBERGLASS
- BLADE THICKNESS: 3.5MM
- HOOK THICKNESS: 4MM



PRUNING SHEARS

MOD: W 17-043

- BLADE MATERIAL: SK5, SURFACE TREATED WITH TEFLON
- HOOK 50 # STEEL, CHROME PLATED
- HANDLE MATERIAL: PP + 25% FIBERGLASS
- BLADE THICKNESS: 3.5MM
- HOOK THICKNESS: 4MM



PRUNING SHEARS

MOD: W 17-044

- BLADE MATERIAL: SK5, SURFACE TREATED WITH TEFLON
- HOOK 50 # STEEL, CHROME PLATED
- HANDLE MATERIAL: PP + 25% FIBERGLASS
- BLADE THICKNESS: 3.5MM
- HOOK THICKNESS: 4MM



PRUNING SHEARS

MOD: W 17-045

- BLADE MATERIAL: SK5, SURFACE TREATED WITH TEFLON
- HOOK 50 # STEEL, CHROME PLATED
- HANDLE MATERIAL: PP + 25% FIBERGLASS
- BLADE THICKNESS: 3.5MM
- HOOK THICKNESS: 4MM



PRUNING SHEARS

MOD: W 17-046

- BLADE MATERIAL: SK5, SURFACE TREATED WITH TEFLON
- HOOK 50 # STEEL, CHROME PLATED
- HANDLE MATERIAL: PP + 25% FIBERGLASS
- BLADE THICKNESS: 3.5MM
- HOOK THICKNESS: 4MM



PRUNING SHEARS

MOD: W 17-047

- UPPER BLADE MATERIAL: SK5, CHROME PLATED
- LOWER BLADE 50 STEEL, CHROME PLATED
- HANDLE MATERIAL: PP + 25% FIBERGLASS
- BLADE THICKNESS: 3.5MM
- HOOK THICKNESS: 4MM



PRUNING SHEARS

MOD: W 17-048

- UPPER BLADE MATERIAL: SK5, CHROME PLATED
- LOWER BLADE 50 STEEL, CHROME PLATED
- HANDLE MATERIAL: PP + 25% FIBERGLASS
- BLADE THICKNESS: 3.5MM
- HOOK THICKNESS: 4MM



PRUNING SHEARS

MOD: W 17-049

- BLADE MATERIAL: SK5, SURFACE TREATED WITH TEFLON
- HOOK 50 # STEEL, CHROME PLATED
- HANDLE MATERIAL: PP + 25% FIBERGLASS
- BLADE THICKNESS: 3.5MM
- HOOK THICKNESS: 4MM



PRUNING SHEARS

MOD: W 17-050

- BLADE MATERIAL: SK5, SURFACE TREATED WITH TEFLON
- HOOK 50 # STEEL, CHROME PLATED
- HANDLE MATERIAL: PP + 25% FIBERGLASS
- BLADE THICKNESS: 3.5MM
- HOOK THICKNESS: 4MM



PRUNING SHEARS

MOD: W 17-051

- BLADE MATERIAL: SK5, SURFACE TREATED WITH TEFLON
- HOOK 50 # STEEL, CHROME PLATED
- HANDLE MATERIAL: PP + 25% FIBERGLASS
- BLADE THICKNESS: 3.5MM
- HOOK THICKNESS: 4MM



PRUNING SHEARS

MOD: W 17-052


- BLADE MATERIAL: SK5, SURFACE TREATED WITH TEFLON, HOOK 50 # STEEL, CHROME PLATED
- HANDLE MATERIAL: ALUMINUM ALLOY SPRAY MOLDING + PVC DIP MOLDING
- BLADE THICKNESS: 3.5MM
- HOOK THICKNESS: 4MM



PRUNING SHEARS

MOD: W 17-053

- BLADE MATERIAL: SK5, SURFACE TREATED WITH TEFLON
- HOOK 50 # STEEL, ELECTROPLATED WITH TITANIUM TREATMENT
- HANDLE MATERIAL: ALUMINUM ALLOY SPRAY MOLDING
- BLADE THICKNESS: 3.5MM
- HOOK THICKNESS: 4MM



PRUNING SHEARS

MOD: W 17-054

- BLADE MATERIAL: 65MN, SURFACE TREATED WITH TEFLON
- HANDLE MATERIAL: ALUMINUM ALLOY SPRAY MOLDING + TPP
- BLADE THICKNESS: 2.5MM



WATER WAND

MOD: W 17-055



- 9 FUNCTION WATER WAND, 28-42"
- 180° ADJUSTABLE HEAD
- PLASTIC HANDLE WITH WATER FLOW CONTROL VALVE
- SIZE: 72 × 12 × 6.5CM
- MATERIAL: ABS, PP, TPR, ALU

WATER WAND

MOD: W 17-056



- 10 FUNCTION WATER WAND, 28"
- 180° ADJUSTABLE HEAD
- PLASTIC HANDLE WITH WATER FLOW CONTROL VALVE
- SIZE: 72 × 12 × 6.5CM
- WEIGHT: 260G
- MATERIAL: ABS, PP, TPR, ALU

WATER WAND

MOD: W 17-057



- 91-140CM TELESCOPIC METAL DELUXE WATER WAND
- 180° ADJUSTABLE HEAD
- 8 FUNCTION SPRAY HEAD
- 2 COLOR TPR COVERED HANDLE THUMB CONTROL TRIGGERLESS DESIGN
- WEIGHT: 430G
- MATERIAL: ABS, PP, ZINC, TPR, ALU



TRIGGER NOZZLE

MOD: W 17-058



- 9 FUNCTION FRONT TRIGGER NOZZLE
- WITH 100ML CLEANING SOLUTION STORAGE
- PERMANENT LOCK POSSIBLE
- SIZE: 30 × 18 × 6.5CM
- WEIGHT: 230G
- MATERIAL: ABS, PP, TPR

HOSE NOZZLE

MOD: W 17-059



- 3 WAY DELUXE HOSE NOZZLE
- DUAL COLOR TPR COVERED HANDLE WITH TRIGGERLESS THUMB CONTROLS
- SIZE: 20 × 11 × 4CM
- WEIGHT: 145G
- MATERIAL: ABS, PP, TPR

HOSE NOZZLE

MOD: W 17-060



- 8 FUNCTION DELUXE HOSE NOZZLE
- DUAL COLOR TPR COVERED HANDLE WITH TRIGGERLESS THUMB CONTROLS
- SIZE: 21 × 11 × 6CM
- WEIGHT: 178G
- MATERIAL: ABS, PP, TPR

HOSE NOZZLE

MOD: W 17-061



- 3 WAY PLASTIC HOSE NOZZLE
- DUAL COLOR TPR COVERED HANDLE
- SIZE: 19 × 12 × 3.5CM
- WEIGHT: 145G
- MATERIAL: ABS, PP, TPR

HOSE NOZZLE

MOD: W 17-062



- PLASTIC HOSE NOZZLE
- 8 FUNCTIONS
- DUAL COLOR TPR COVERED HANDLE
- SIZE: 20 × 12.5 × 6CM
- WEIGHT: 180G
- MATERIAL: ABS, PP, TPR

TRIGGER NOZZLE

MOD: W 17-063



- ADJUSTABLE FRONT TRIGGER NOZZLE
- PERMANENT LOCK POSSIBLE
- SIZE: 19 × 12 × 4CM
- WEIGHT: 115G
- MATERIAL: ABS, PP, TPR

HOSE NOZZLE

MOD: W 17-064



- ADJUSTABLE HOSE NOZZLE
- ZINC BODY WITH FLOW CONTROL VALVE
- BRASS SPRAY HEAD, FRONT TRIGGER
- SIZE : 18 × 13 × 3.3CM
- WEIGHT : 266G
- MATERIAL: PP, TPR, ZINC, BRASS

HOSE NOZZLE

MOD: W 17-065



- 7 FUNCTION HOSE NOZZLE
- ZINC BODY WITH FLOW CONTROL VALVE
- FRONT TRIGGER
- SIZE : 21 × 12.5 × 6CM
- WEIGHT : 300G
- MATERIAL: ABS, PP, ZINC, TPR

FLOW CONTROL NOZZLE

MOD: W 17-066



- 9 FUNCTION TOP LEVEL FLOW CONTROL NOZZLE
- SIZE: 18.5 × 12.5 × 7CM (AMERICAN STYLE)
- WEIGHT: 192G
- SIZE: 20 × 12.5 × 7CM (EUROPEAN STYLE)
- WEIHT: 198G
- MATERIAL: ABS, TPR, PP, ALU

HOSE NOZZLE

MOD: W 17-067



- METAL 6 FUNCTION HOSE NOZZLE
- SIZE: 18.5 × 12.5 × 5.5CM
- WEIGHT: 250G
- MATERIAL: ABS, PP, ZINC, TPR

TRIGGER NOZZLE

MOD: W 17-068



- 3 WAY TRIGGER NOZZLE
- TPR COVERED ZINC BODY
- METAL SPRAY HEAD
- SZIE : 17.4 × 11 × 3.5CM
- WEIGHT : 197G
- MATERIAL: PP, TPR, ZINC, ALU



HOSE CONNECTOR

MOD: W 17-069



- 1/2" - 5/8" - 3/4" UNIVERSAL HOSE CONNECTOR
- MATERIAL: ABS, PP, TPR

HOSE CONNECTOR

MOD: W 17-070



- 1/2" - 5/8" - 3/4" UNIVERSAL WATERSTOP
- MATERIAL: ABS, PP, TPR

HOSE CONNECTOR

MOD: W 17-071



- 3/4" SOFT TOUCH HOSE CONNECTOR
- LOCK AND UNLOCK FUNCTION
- MATERIAL: ABS, PP, TPR

HOSE CONNECTOR

MOD: W 17-072



- 3/4" SOFT TOUCH HOSE CONNECTOR
- LOCK AND UNLOCK FUNCTION
- WATER STOP
- MATERIAL: ABS, PP, TPR

HOSE CONNECTOR

MOD: W 17-073



- 3/4" SOFT TOUCH HOSE MENDER
- MATERIAL: ABS, PP, TPR

HOSE CONNECTOR

MOD: W 17-074



- 1/2" - 5/8" SOFT TOUCH HOSE MENDER
- MATERIAL: ABS, PP, TPR



HOSE CONNECTOR

MOD: W 17-075



- 1/2" - 5/8" SOFT TOUCH HOSE CONNECTOR
- LOCK AND UNLOCK FUNCTION
- MATERIAL: ABS, PP, TPR

HOSE CONNECTOR

MOD: W 17-076



- 1/2" - 5/8" SOFT TOUCH HOSE CONNECTOR
- LOCK AND UNLOCK FUNCTION
- WATER STOP
- MATERIAL: ABS, PP, TPR

HOSE CONNECTOR

MOD: W 17-077



- 1/2"- 3/4" SOFT TOUCH FEMALE PLASTIC TAP ADAPTOR
- MATERIAL: PP, TPR

HOSE CONNECTOR

MOD: W 17-078



- 2 WAY CONNECTOR
- MATERIAL: ABS, TPR

HOSE CONNECTOR

MOD: W 17-079



- 3 WAY CONNECTOR
- MATERIAL: ABS



GARDEN HOSE

MOD: W 17-080



- PE + RUBBER MATERIAL
- SEEPAGE PIPE, 1/2" x 15M
- PLASTIC QUICK CONNECT

GARDEN HOSE

MOD: W 17-081



- THREE HOLE TUBE, 15M
- PLASTIC JOINT

GARDEN HOSE

MOD: W 17-082



- RIBBON GARDEN TUBE
- OUTER LAYER OF POLYESTER YARN
- ENVIORNMENTALLY FRIENDLY INNER PVC TUBE
- FEATURES QUICK CONNECT ON BOTH ENDS
- 8 FUNCTION HOSE NOZZLE

GARDEN HOSE

MOD: W 17-083



- PLASTIC GARDEN PIPE, 1/2", 15M

GARDEN HOSE

MOD: W 17-084



- DOUBLE EXPANSION WATER HOSE
- ELASTIC SILK CLOTH COVER
- LATEX INNER TUBE
- PLASTIC QUICK CONNECT
- 7 FUNCTION HOSE NOZZLE

MICRO HOSE REEL

MOD: W 17-085



- 10M 5/16" PVC HOSE , 1.5M LEAD HOSE, 2PCS CONNECTOR, 1PC 1/2"-3/4" TAP ADAPTOR
- SIZE: 26.5CM x 15.5CM x 29CM
- PVC HOSE INNER DIA, 8MM, OUTER DIA, 11.6MM
- WORKING PRESSURE: 6BAR
- BURST PRESSURE: 16BAR
- MATERIAL: ABS, PP, PVC

MICRO HOSE REEL

MOD: W 17-086



- 15M 1/2" PVC GARDEN HOSE, 4PCS BASIC HOSE NOZZLE SET, 15M HOSE, HOSE 11 x 14MM
- WORKING PREASURE: 4BAR
- BURSTING PREASURE: 10BAR
- SIZE: 24 x 31 x 27CM
- MATERIAL: ABS, PP, PVC

HOSE REEL

MOD: W 17-087



- CASE MATERIAL: PP
- HOSE LENGTH: 30M (OUTLET) + 2M (INLET)
- HOSE MATERIAL: PVC
- HOSE DIAMETER: 1/2" (11 x 15MM)
- FITTING: 3/4 BSP / NPT
- WORKING/BURST PRESSURE: 8/24 BAR
- TEMPERATURE: -5-45 °C
- PRESSURE: 8/24 BAR

HOSE REEL

MOD: W 17-088



- CASE MATERIAL: PP
- HOSE LENGTH: 20M (OUTLET) + 2M(INLET)
- HOSE MATERIAL: PVC
- HOSE DIAMETER: 1/2" (11 x 15MM)
- FITTING: 3/4 BSP/ NPT
- WORKING/BURST PRESSURE: 8/24 BAR
- TEMPERATURE: -5-45 °C
- PRESSURE: 8/24 BAR

SPRAYER BOTTLE

MOD: W 17-089



- MATERIAL: PE + PP
- WEIGHT : 240G
- CAPACITY : 1L
- PRODUCT SIZE : 10.5 x 18 x 28CM

SPRAYER BOTTLE

MOD: W 17-090



- MATERIAL: PE+ PP
- WEIGHT : 350G
- CAPACITY : 2L
- PRODUCT SIZE : 12 x 24.5 x 34CM

WATERING CAN

MOD: W 17-091



- MATERIAL : PE + PP
- CAPACITY : 10L
- WEIGHT : 450G
- PRODUCT SIZE : 50 x 17 x 36CM

WATERING CAN

MOD: W 17-092



- MATERIAL : PP
- CAPACITY : 1.6 L
- WEIGHT : 160G
- PRODUCT SIZE : 63 x 49 x 49CM

SPRAYER BOTTLE

MOD: W 17-093



- MATERIAL: PE + PP
- WEIGHT: 1250G
- CAPACITY: 8L
- PRODUCT SIZE: 17.8 x 54CM

ELECTRIC SPRAYER BOTTLE

MOD: W 17-094



- MATERIAL: PE + PP
- WEIGHT: 700G
- CAPACITY: 4L
- BATTERY: 2200MAH, 3.7V
- PRODUCT SIZE: 25 x 11.5 x 23CM

14" INTEGRATED AXE

MOD: W 17-095



- PREMIUM NYLON HANDLE
- AXE WEIGHT: 410G
- HEAD: 15MM
- THE HARDNESS IS 53-54HRC, AND THE HANDLE IS COATED WITH TPR ADHESIVE
- SHEATH MATERIAL: PP

17.5" INTEGRATED AXE

MOD: W 17-096



- PREMIUM NYLON HANDLE
- AXE WEIGHT: 590G
- HEAD: 15MM
- THE HARDNESS IS 53-54HRC, AND THE HANDLE IS COATED WITH TPR ADHESIVE
- SHEATH MATERIAL: PP

28" INTEGRATED AXE

MOD: W 17-097



- PREMIUM NYLON HANDLE
- AXE WEIGHT: 1100G
- HEAD: 15MM
- THE HARDNESS IS 53-54HRC, AND THE HANDLE IS COATED WITH TPR ADHESIVE
- SHEATH MATERIAL: PP

31.5" INTEGRATED AXE

MOD: W 17-098



- PREMIUM NYLON HANDLE
- AXE WEIGHT: 1800G
- HEAD: 15MM
- THE HARDNESS IS 53-54HRC, AND THE HANDLE IS COATED WITH TPR ADHESIVE
- SHEATH MATERIAL: PP

ARM ROTATING SPRINKLER

MOD: W 17-099



- 2 ARM ROTATING SPRINKLER ON PLASTIC SPIKE
- SIZE: 27 × 10.3 × 3CM
- WEIGHT: 51G
- MATERIAL: ABS, PP, STEEL

15T EXPANDABLE LAWN RAKE

MOD: W 17-0100



- LENGTH: 74CM
- WIDTH: 19CM
- DIA OF TEETH: 2.7MM
- DIA OF TUBE: 22/19MM
- SURFACE FINISHMENT: ZINC PLATED
- WEIGHT: 540G

PRUNING SAW

MOD: W 17-0101



- HIGH CARBON 65MN STEEL BLADE WITH CHROME PLATING, BLADE HARDNESS HRC44-48
- TRIPLE THEETH, 1"-7TPI. SAWBLADE SIZE 180MM. THICKNESS 1.0MM
- PP+15% FIBER + TPR GRIPS
- PRODUCT WEIGHT: 130G +/-5%
- PRODUCT SIZE: 30MM × 60MM × 233MM

RAKE

MOD: W 17-102



- MATERIAL: PP
- WEIGHT: 130G × 2PCS
- SIZE: 36 × 29 × 3CM

GARDEN STORAGE SHELF

MOD: W 17-103



- PRODUCT SIZE: 58.5 × 31 × 60CM (AFTER ASSEMBLY)
- MATERIAL: PP
- STATIC BEARING CAPACITY OF THE PRODUCT: 20KG
- NET WEIGHT OF THE PRODUCT: ABOUT 1.2KG

RAIN BARREL

MOD: W 17-104



- 150 GALLONS (750 L)
- Ø 35" × 47" H (90 × 120CM)



GARDEN TOOL SETS

GARDEN TOOL SETS

8 PCS GARDEN TOOL SET

MOD: W 17-105



- GARDEN FIVE PIECE SET + BAG + PRUNING SHEARS
- MATERIAL:
- BAG: 600D OXFORD CLOTH
- TOOL: ALUMINUM ALLOY, PP + TPR

9 PCS GARDEN TOOL SET

MOD: W 17-106



- GARDEN FIVE PIECE SET + BAG + PRUNING SHEARS + GLOVES + KETTLE
- MATERIAL:
- BAG: 600D OXFORD CLOTH
- TOOL: ALUMINUM ALLOY, PP + TPR

11 PCS GARDEN TOOL SET

MOD: W 17-107



- ASSORTED GARDEN HAND TOOLS AND ACCESSORIES
- MATERIAL:
- BAG: 600D OXFORD CLOTH
- TOOL: ALUMINUM ALLOY, PP + TPR

16 PCS GARDEN TOOL SET

MOD: W 17-108



- ASSORTED GARDEN HAND TOOLS AND ACCESSORIES
- MATERIAL:
- BAG: 600D OXFORD CLOTH
- TOOL: ALUMINUM ALLOY, PP + TPR

7 PCS GARDEN TOOL SET

MOD: W 17-109



- GARDEN FIVE PIECE SET + PRUNING SHEARS
- MATERIAL:
- BAG: 600D OXFORD CLOTH
- TOOL: ALUMINUM ALLOY, PP + TPR

16 PCS GARDEN TOOL SET

MOD: W 17-110



- ASSORTED GARDEN HAND TOOLS AND ACCESSORIES
- MATERIAL:
- BAG: 600D OXFORD CLOTH
- TOOL: ALUMINUM ALLOY, PP + TPR

