



INWELL[®]

INWELL INC.
16782 VON KARMAN AVE STE 25, IRVINE, CA92606-2418


HANGZHOU ELUM TECHNOLOGY GROUP CO., LTD.
ROOM 315, BUILDING 2, XIXI CENTURY CENTER,
JIANGDUN ROAD, 310030, HANGZHOU, CHINA

E-MAIL : SALES@INWELLPRODUCTS.COM
WEBSITE : WWW.INWELLPRODUCTS.COM

INWELL[®]

POWER TOOL ACCESSORIES

ENGINEERED FOR CONTROLLED PRECISION AND SPEED




TIP GEOMETRY



118° CONVENTIONAL POINT

- GENERAL USE
- NOT SELF-CENTERING
- FOR STATIONARY DRILLS



118° POINT ANGLE



135° SPLIT POINT

- SELF-CENTERING
- FOR PORTABLE DRILLS
- REQUIRES LESS FORCE THAN 118°



135° POINT ANGLE

1A. PRODUCTION TECHNICS

ROLL FORGED	
HALF GROUND	
FULLY GROUND	
MILLED	

1B. SURFACE TREATMENT

BRIGHT	
BLACK & GOLD	
BLACK & BRIGHT	
TIN COATING	
BLACK OXIDE	

1C. CUTTING EDGE

FAST DRILL BITS	
135° SPLIT POINT	
118° GENERAL ANGLE	

DIN338

DIA. MM	FLUTE LENGTH MM	OVERALL LENGTH MM
1	12	34
1.5	20	43
2	24	49
2.5	30	57
3	33	61
3.2	36	65
3.5	39	70
4	43	75
4.2	43	75
4.5	47	80
4.8	52	86
5	52	86
5.5	57	93
6	57	93
6.5	63	101
7	69	109
7.5	69	109
8	75	117
8.5	75	117
9	81	125
9.5	81	125
10	87	133
10.5	87	133
11	94	142
11.5	94	142
12	101	151
12.5	101	151
13	101	151
13.5	108	160
14	108	160
15	114	169
15.5	120	178
16	120	178
17	125	184
17.5	130	191
18	130	191
18.5	135	198
19	135	198
19.5	140	205
20	140	205

DIN340

DIA. MM	FLUTE LENGTH MM	OVERALL LENGTH MM
1	33	56
1.5	45	70
2	56	85
2.5	62	95
3	63	100
3.5	73	110
4	78	119
4.5	82	126
5	87	132
5.5	91	139
6	91	139
6.5	97	148
7	102	156
7.5	102	156
8	109	165
8.5	109	165
9	115	175
9.5	115	175
10	121	184
10.5	121	184
11	128	195
11.5	128	195
12	134	205
12.5	134	205
13	134	205
13.5	140	214
14	140	214
14.5	144	220
15	144	220
15.5	149	227
16	149	227
16.5	154	235
17	154	235
17.5	158	241
18	158	241
18.5	162	247
19	162	247
19.5	166	254
20	166	254

DIN1897


DIA. MM	FLUTE LENGTH MM	OVERALL LENGTH MM
1	6	26
1.5	9	32
2	12	38
2.5	14	43
3	16	46
3.5	20	52
4	22	55
4.5	24	58
5	26	62
5.5	28	66
6	28	66
6.5	31	70
7	34	74
7.5	34	74
8	37	79
8.5	37	79
9	40	84
9.5	40	84
10	43	89
10.5	43	89
11	47	95
11.5	47	95
12	51	102
12.5	51	102
13	51	102
13.5	54	107
14	54	107
14.5	56	111
15	56	111
15.5	58	115
16	58	115
16.5	58	119
17	58	119
17.5	62	123
18	62	123
18.5	62	127
19	62	127
19.5	66	131
20	66	131

ANSI B94. 11M-JOBBER LENGTH

DIA. INCH	DECIMAL EQUIVALENT	FLUTE LENGTH	OVERALL LENGTH
1/16	0.0625	7/8	1-7/8
5/64	0.0781	1	2
3/32	0.0938	1-1/4	2-1/4
7/64	0.1094	1-1/2	2-5/8
1/8	0.1250	1-5/8	2-3/4
9/64	0.1406	1-3/4	2-7/8
5/32	0.2188	2	3-1/8
11/64	0.1719	2-1/8	3-1/4
3/16	0.1875	2-5/16	3-1/2
13/64	0.2031	2-7/16	3-5/8
7/32	0.2188	2-1/2	3-3/4
15/64	0.2344	2-5/8	3-3/7
1/4	0.2500	2-3/4	4
17/64	0.2656	2-7/8	4-1/8
9/32	0.2812	2-15/16	4-1/4
19/64	0.2969	3-1/16	4-3/8
5/16	0.3125	3-3/16	4-1/2
21/64	0.3281	3-5/16	4-3/4
11/32	0.3438	3-7/16	4-5/8
23/64	0.3594	3-1/2	4-7/8
3/8	0.3750	3-5/8	5
25/64	0.3906	3-3/4	5-1/8
13/32	0.4062	3-7/8	5-1/4
27/64	0.4219	3-15/16	5-3/8
7/16	0.4375	4-1/16	5-1/2
29/64	0.4531	4-3/16	5-5/8
15/32	0.4688	4-5/16	5-3/4
31/64	0.4844	4-3/8	5-7/8
1/2	0.5000	4-1/2	6

HSS TWIST DRILL, ROLL FORGED

- DESCRIPTION: HSS TWIST DRILL, ROLL FORGED WITH BLACK OXIDE / BLACK & BRIGHT. 118 DEGREE POINT
- USAGE: IDEAL FOR DRILLING ON MILD STEEL, COPPER, ALUMINUM, ZINC ALLOY
- MATERIAL: HSS



19 PCS HSS TWIST DRILL SET

MOD: W 2-001


- SPEC.: (1 - 10) × 0.5MM
- FINISH: BLACK OXIDE
- PACKING: PLASTIC BOX



13 PCS HSS TWIST DRILL SET


MOD: W 2-002

- SPEC.: (1.5 - 6.5) × 0.5MM + 3.2MM + 4.8MM
- FINISH: BLACK OXIDE
- PACKING: PLASTIC BOX



HSS TWIST DRILL, HALF GROUND

- DESCRIPTION: HSS TWIST DRILL, HALF GROUND WITH TIN COATING / BRIGHT FINISH. 118 DEGREE OR 135 SPLIT POINT.
- USAGE: IDEAL FOR DRILLING ON MILD STEEL, COPPER, ALUMINUM, ZINC ALLOY
- MATERIAL: HSS



19 PCS HSS TWIST DRILL SET

MOD: W 2-003

- SPEC.: (1 - 10) × 0.5MM
- FINISH: TITANIUM COATING
- PACKING: PLASTIC BOX



25 PCS HSS TWIST DRILL SET


MOD: W 2-004

- SPEC.: (1 - 13) × 0.5MM
- FINISH: BRIGHT
- PACKING: PLASTIC BOX



HSS TWIST DRILL , FULLY GROUND

- DESCRIPTION: HSS TWIST DRILL, FULLY GROUND WITH BRIGHT FINISH/ BLACK FINISH/ TIN COATING/ BLACK & GOLD. 118 DEGREE OR 135 SPLIT POINT
- USAGE: IDEAL FOR DRILLING ON MILD STEEL, COPPER, ALUMINUM, ZINC ALLOY
- MATERIAL: HSS



6 PCS HSS TWIST DRILL SET

MOD: W 2-005

- SPEC.: 2, 3, 4, 5, 6, 8
- FINISH: BRIGHT
- PACKING: PLASTIC BOX



29 PCS HSS TWIST DRILL SET


MOD: W 2-006

- SPEC.: (1/16" - 1/2") x 1/64"
- FINISH: TITANIUM COATED
- PACKING: PLASTIC BOX



HSSCO TWIST DRILL , FULLY GROUND

- DESCRIPTION: HSS TWIST DRILL, FULLY GROUND WITH AMBER FINISH. 118 DEGREE OR 135 SPLIT POINT
- USAGE: IDEAL FOR DRILLING ON MILD STEEL, COPPER, ALUMINUM, ZINC ALLOY, STAINLESS STEEL
- MATERIAL: HSSCO



25 PCS HSS TWIST DRILL SET

MOD: W 2-007

- SPEC.: (1 - 13) x 0.5MM
- FINISH: AMBER
- PACKING: PLASTIC BOX



19 PCS HSS TWIST DRILL SET

MOD: W 2-008

- SPEC.: (1 - 10) x 0.5MM
- FINISH: AMBER
- PACKING: METAL BOX



DIN338

D MM	L1 MM	L MM
1	12	34
1.5	20	43
2	24	49
2.5	30	57
3	33	61
3.2	36	65
3.5	39	70
4	43	75
4.2	43	75
4.5	47	80
4.8	52	86
5	52	86
5.5	57	93
6	57	93
6.5	63	101
7	69	109
7.5	69	109
8	75	117
8.5	75	117
9	81	125
9.5	81	125
10	87	133
10.5	87	133
11	94	142
11.5	94	142
12	101	151
12.5	101	151
13	101	151


- MOD: W 2-001
- MOD: W 2-002
- MOD: W 2-003
- MOD: W 2-004
- MOD: W 2-005
- MOD: W 2-006
- MOD: W 2-007
- MOD: W 2-008

ANSI B94. 11M - JOBBER LENGTH

D INCH	L1 INCH	L INCH
1/16	7/8	1-7/8
5/64	1	2
3/32	1-1/4	2-1/4
7/64	1-1/2	2-5/8
1/8	1-5/8	2-3/4
9/64	1-3/4	2-7/8
5/32	2	3-1/8
11/64	2-1/8	3-1/4
3/16	2-5/16	3-1/2
13/64	2-7/16	3-5/8
7/32	2-1/2	3-3/4
15/64	2-5/8	3-3/7
1/4	2-3/4	4
17/64	2-7/8	4-1/8
9/32	2-15/16	4-1/4
19/64	3-1/16	4-3/8
5/16	3-3/16	4-1/2
21/64	3-5/16	4-3/4
11/32	3-7/16	4-5/8
23/64	3-1/2	4-7/8
3/8	3-5/8	5
25/64	3-3/4	5-1/8
13/32	3-7/8	5-1/4
27/64	3-15/16	5-3/8
7/16	4-1/16	5-1/2
29/64	4-3/16	5-5/8
15/32	4-5/16	5-3/4
31/64	4-3/8	5-7/8
1/2	4-1/2	6

HSS TWIST DRILL, FULLY GROUND, TRIANGLE SHANK, MULTI - FACES POINT

- DESCRIPTION: HSS TWIST DRILL, FULLY GROUND WITH AMBER AND BLACK OXIDE, MULTI-FACES POINT
- USAGE: IDEAL FOR DRILLING ON MILD STEEL, COPPER, ALUMINUM, ZINC ALLOY
- MATERIAL: HSS / HSSCO



D MM	L1 MM	L MM
2	24	49
2.5	30	57
3	33	61
3.2	36	65
3.5	39	70
4	43	75
4.2	43	75
4.5	47	80
4.8	52	86
5	52	86
5.2	52	86
5.5	57	93
6	57	93
6.5	63	101

D MM	L1 MM	L MM
6.8	69	109
7	69	109
7.5	69	109
8	75	117
8.5	75	117
9	81	125
9.5	81	125
10	87	133
10.5	87	133
11	94	142
11.5	94	142
12	101	151
12.5	101	151
13	101	151

13 PCS HSS TWIST DRILL SET

MOD: W 2-009

- SPEC.: (1/16" - 1/4") × 1/64"
- FINISH: BLACK & GOLD
- PACKING: METAL BOX



25 PCS HSS TWIST DRILL SET


MOD: W 2-010

- SPEC.: (1 - 10) × 0.5MM
- FINISH: BLACK & GOLD
- PACKING: PLASTIC BOX



HSS TWIST DRILL LONG LENGTH, PARALLEL SHANK

- DESCRIPTION: HSS TWIST DRILL, FULLY GROUND WITH BRIGHT FINISH. 118 DEGREE OR 135 SPLIT POINT
- USAGE: IDEAL FOR DRILLING ON MILD STEEL, COPPER, ALUMINUM, ZINC ALLOY
- MATERIAL: HSS




DIN340

D MM	L1 MM	L MM
1	33	56
1.5	45	70
2	56	85
2.5	62	95
3	63	100
3.5	73	110
4	78	119
4.5	82	126
5	87	132
5.5	91	139
6	91	139
6.5	97	148
7	102	156
7.5	102	156
8	109	165
8.5	109	165
9	115	175
9.5	115	175
10	121	184
10.5	121	184

D MM	L1 MM	L MM
11	128	195
11.5	128	195
12	134	205
12.5	134	205
13	134	205
13.5	140	214
14	140	214
14.5	144	220
15	144	220
15.5	149	227
16	149	227
16.5	154	235
17	154	235
17.5	158	241
18	158	241
18.5	162	247
19	162	247
19.5	166	254
20	166	254

1/4" HEX SHANK DRILL BITS, EUROPEAN TYPE

- DESCRIPTION: 1/4" HEX SHANK DRILL BITS, FULLY GROUND WITH TITANIUM COATED. 118 DEGREE OR 135 SPLIT POINT
- USAGE: IDEAL FOR DRILLING ON MILD STEEL, COPPER, ALUMINUM, ZINC ALLOY
- MATERIAL: HSS



D MM	L1 MM	L MM
2.5	30	74
3	33	80
3.2	36	84
3.3	36	84
4	43	94
4.1	43	94
4.2	43	94
5	52	105
6	57	115
6.5	63	120
8	75	117
10	87	133
12	101	151
13	101	151

14 PCS 1/4" HEX SHANK TWIST DRILL SET

MOD: W 2-011

- SPEC.: (1.5 - 6.5) × 0.5MM+3.2MM, 4.8MM
- 1PCS QUICK RELEASE HEX SHANK BIT HOLDER
- PACKING: PLASTIC BOX



5 PCS HEX SHANK TWIST DRILL SET

MOD: W 2-012

- SPEC.: 3, 4, 5, 5.5, 6MM
- PACKING: PLASTIC BOX



MASONRY DRILL BIT, ROLL FORGED

- DESCRIPTION: MASONRY DRILL BIT, ROLL FORGED, ZINC PLATED / NICKEL PLATED
- USAGE: FOR DRILLING BRICK, STONE, SLATE, MARBLE, CEMENT, CONCRETE, ASPHALT, PLASTER AND WALLBOARD



DIA. (MM)	SHANK DIA (MM)	WORKING LENGTH (MM)	OVERALL LENGTH (MM)
3	3	30	60
4	4	40	75
5	5	50	85
6	6	60	100
7	7	60	100
8	8	70	120
9	9	70	120
10	10	70	120
11	10	80	150
12	10	80	150
13	10	80	150
14	10	100	150
15	10	100	150
16	13	100	160
17	13	100	160
18	13	100	160
19	13	100	160
20	13	100	160
21	13	100	160
22	13	100	160
23	13	100	160
24	13	100	160
25	13	100	160
26	13	100	160

DIA. (INCH)	SHANK DIA (INCH)	WORKING LENGTH (INCH)	OVERALL LENGTH (INCH)
1/8	1/8	1-1/2	3
5/32	5/32	1-1/2	3
3/16	3/16	2-1/8	4
3/16	3/16	4	6
1/4	1/4	2	4
1/4	1/4	4	6
5/16	1/4	2	4
5/16	1/4	4	6
3/8	1/4	2	4
3/8	3/8	4	6
7/16	1/4	2	4
7/16	3/8	4	6
1/2	1/4	2	4
1/2	3/8	4	6
9/16	3/8	4	6
5/8	1/4	2	4
5/8	3/8	4	6
11/16	1/2	4	6
3/4	1/2	4	6
7/8	1/2	4	6
1	1/2	4	6

4 PCS MASONRY DRILL SET

MOD: W 2-013

- SPEC.: 3/16", 1/4", 5/16", 3/8"
- FINISH: ZINC PLATED
- PACKING: DOUBLE BLISTER



6 PCS MASONRY DRILL SET


MOD: W 2-014

- SPEC.: 3, 4, 5, 6, 7, 8MM
- FINISH: ZINC PLATED
- PACKING: PLASTIC BOX



MASONRY DRILL BIT, MILLED

- DESCRIPTION: MASONRY DRILL BIT, MILLED, SAND BLAST / BLACK & WHITE CHROME PLATED SURFACE
- USAGE: FOR DRILLING BRICK, STONE, SLATE, MARBLE, CEMENT, CONCRETE, ASPHALT, PLASTER AND WALLBOARD



DIA. (MM)	SHANK DIA (MM)	WORKING LENGTH (MM)	OVERALL LENGTH (MM)
3	3	30	60
4	4	40	75
5	5	50	85
6	6	60	100
7	7	60	100
8	8	70	120
9	9	70	120
10	10	70	120
11	10	80	150
12	10	80	150
13	10	80	150
14	10	100	150
15	10	100	150
16	13	100	160
17	13	100	160
18	13	100	160
19	13	100	160
20	13	100	160
21	13	100	160
22	13	100	160
23	13	100	160
24	13	100	160
25	13	100	160
26	13	100	160

DIA. (INCH)	SHANK DIA (INCH)	WORKING LENGTH (INCH)	OVERALL LENGTH (INCH)
1/8	1/8	1-1/2	3
5/32	5/32	1-1/2	3
3/16	3/16	2-1/8	4
3/16	3/16	4	6
1/4	1/4	2	4
1/4	1/4	4	6
5/16	1/4	2	4
5/16	1/4	4	6
3/8	1/4	2	4
3/8	3/8	4	6
7/16	1/4	2	4
7/16	3/8	4	6
1/2	1/4	2	4
1/2	3/8	4	6
9/16	3/8	4	6
5/8	1/4	2	4
5/8	3/8	4	6
11/16	1/2	4	6
3/4	1/2	4	6
7/8	1/2	4	6
1	1/2	4	6

5 PCS MASONRY DRILL SET

MOD: W 2-015

- SPEC.: 4, 5, 6, 8, 10MM
- FINISH: BLACK & WHITE
- PACKING: PLASTIC BOX



7 PCS MASONRY DRILL SET


MOD: W 2-016

- SPEC.: 3, 4, 5, 6, 8, 10MM
- FINISH: BLACK & WHITE
- PACKING: PLASTIC BOX



ELECTRIC HAMMER DRILL BIT, SDS PLUS SHANK, SLOT TIP

- DESCRIPTION: ELECTRIC HAMMER DRILL BIT, MILLED SAND BLAST. SDS PLUS SHANK, SLOT TIP
- USAGE: THE VERSATILE SLOT DRIVE SYSTEM FITS ALL ROTARY HAMMER DRILLS THAT SPECIFY AN SDS-PLUS SHANK. POSITIVE DRIVE SLOTS WILL DELIVER MAXIMUM DRILLING TORQUE AND HAMMERING ENERGY FOR FASTER DRILLING



D (MM)	L1 (MM)	L (MM)
4	50	110
4	100	160
4	150	210
5	50	110
5	100	160
5	150	210
5	200	260
6	50	110
6	100	160
6	150	210
6	200	260
6	250	310
6	300	350
6	350	400
6	400	450
7	50	110
7	100	160
8	50	110
8	100	160
8	150	210
8	200	260
8	250	310
8	300	350
8	350	400
8	400	450
9	150	210
9	200	260
10	50	110
10	100	160
10	150	210
10	200	260
10	250	310
10	300	350
10	350	400
10	400	450
10	525	600
10	750	800
11	100	160
11	150	210
11	200	260
11	250	310
11	300	350
11	350	400
11	400	450
11	525	600
11	750	800

D (MM)	L1 (MM)	L (MM)
12	100	160
12	150	210
12	200	260
12	250	310
12	300	350
12	350	400
12	400	450
12	525	600
12	750	800
12	300	350
12	350	400
12	400	450
12	525	600
12	750	800
13	100	160
13	150	210
13	200	260
13	250	310
13	300	350
13	350	400
13	400	450
13	525	600
13	750	800
14	150	210
14	200	260
14	250	310
14	300	350
14	350	400
14	400	450
14	525	600
14	750	800
16	100	160
16	150	210
16	200	260
16	250	310
16	300	350
16	350	400
16	400	450
16	525	600
16	750	800
18	150	210
18	200	260
18	250	310
18	300	350
18	350	400
18	400	450

D (MM)	L1 (MM)	L (MM)
18	525	600
18	750	800
19	150	210
19	200	260
19	250	310
19	300	350
19	400	450
19	525	600
19	750	800
20	150	210
20	200	260
20	250	310
20	300	350
20	400	450
20	525	600
20	750	800
22	200	250
22	300	350
22	400	450
22	525	600
24	200	250
24	300	350
24	400	450
24	525	600
24	750	800
25	200	250
25	250	300
25	300	350
25	350	400
25	525	600
25	750	800
26	400	450
26	525	600
26	750	800
28	400	450
28	525	600
28	750	800
30	400	450
30	525	600
30	750	800
32	400	450
32	525	600
32	750	800

D. (INCH)	L1 (INCH)	L (INCH)
5/32	2	4
5/32	4	6
3/16	2	4
3/16	4	6
3/16	6	8
3/16	8	10
3/16	10	12
3/16	12	14
7/32	4	6
7/32	6	8
7/32	8	10
7/32	10	12
7/32	12	14
7/32	14	16
1/4	2	4
1/4	4	6
1/4	6	8
1/4	8	10
1/4	10	12
1/4	12	14
1/4	14	16
5/16	4	6
5/16	10	12
3/8	4	6
3/8	8	10
3/8	10	12
3/8	16	18
3/8	22	24
7/16	4	6
7/16	10	12
7/16	16	18
1/2	4	6
1/2	8	10
1/2	10	12
1/2	16	18
9/16	4	6
9/16	10	12
9/16	16	18
5/8	4	6
5/8	6	8
5/8	10	12
5/8	16	18
5/8	22	24
11/16	6	8
3/4	6	8
3/4	8	10
3/4	10	12
3/4	16	18
3/4	22	24

D. (INCH)	L1 (INCH)	L (INCH)
27/32	6	8
7/8	6	8
7/8	10	12
7/8	16	18
1	8	10
1	16	18
1-1/8	8	10
1-1/8	16	18

8 PCS SDS PLUS DRILL BIT SET

MOD: W 2-017

- SPEC.: 5, 6 × 110MM, 8, 10, 12 × 160MM, 14, 16 × 210MM, 18 × 250MM
- FINISH: SAND BLASTED
- PACKING: BMC



11 PCS SDS PLUS DRILL BIT SET

MOD: W 2-018

- SPEC.: 5, 6 × 110MM, 6, 8, 10 × 160MM, 11, 12 × 210MM, 12, 16, 20 × 450MM
- FINISH: SAND BLASTED
- PACKING: BMC



5 PCS SDS PLUS DRILL BIT SET


MOD: W 2-019

- SPEC.: 5, 6, × 110MM, 6, 8, 10 × 160MM
- FINISH: SAND BLASTED
- PACKING: PLASTIC BOX



ELECTRIC HAMMER DRILL BIT, SDS MAX SHANK, CROSS TIP

- DESCRIPTION: ELECTRIC HAMMER DRILL BIT, MILLED SAND BLAST. SDS SHANK, CROSS TIP
- USAGE: EXTRA HEAVY DUTY SLOT DRIVE SYSTEM TO MAXIMIZE PERFORMANCE



D (MM)	L (MM)	D (MM)	L (MM)	D (MM)	L (MM)
8	280	20	700	30	1000
10	280	20	800	32	400
10	400	20	1000	32	505
12	280	22	280	32	600
12	400	22	400	32	700
14	280	22	505	32	800
14	400	22	600	32	1000
14	505	22	700	35	400
14	600	22	800	35	505
14	700	22	1000	35	600
14	800	25	280	35	700
16	280	25	400	35	800
16	400	25	505	35	1000
16	505	25	600	38	400
16	600	25	700	38	505
16	700	25	800	38	600
16	800	25	1000	38	700
16	1000	28	280	38	800
18	280	28	400	38	1000
18	400	28	505	40	400
18	505	28	600	40	505
18	600	28	700	40	600
18	700	28	800	40	700
18	800	28	1000	40	800
18	1000	30	400	40	1000
20	280	30	505	40	1000
20	400	30	600	40	1000
20	505	30	700		
20	600	30	800		

GLASS & TILE DRILL

- TUNGSTEN CARBIDE TIP, SAND BLASTED OR CHROME PLATED SURFACE
- MADE OF HARDENED HIGH CARBON STEEL
- SPEAR POINT REDUCES CUTTING PRESSURE FOR CLEANER HOLES
- CUTS A PERFECTLY ROUND HOLE WITHOUT CHIPPING OR BREAKING
- FOR DRILLING GLASS, TITILE, MIRRORS AND CERAMICS



DIAMETER	OVERALL LENGTH	SHANK SIZE
3	55	2.8
4	55	3.5
5	55	4.1
6	65	4.6
8	75	6
10	75	8
12	90	9.5
13	90	9.5

DIAMETER	OVERALL LENGTH	SHANK SIZE
1/8	2-3/16	1/8
5/32	2-3/16	9/64
3/16	2-3/16	5/32
1/4	2-19/32	3/16
5/16	3	15/64
3/8	3	5/16

6 PCS GLASS BIT SET

MOD: W 2-020



- SPEC.: 3, 4, 5, 6, 8, 10MM
- FINISH: SAND BLAST
- PACKING: ALUMINUM BOX

6 PCS HEX SHANK GLASS BIT SET

MOD: W 2-021



- SPEC.: 3, 4, 5, 6, 8, 10MM
- FINISH: SAND BLAST
- PACKING: PLASTIC BOX

CHISEL, FOR MACHINE WITH SDS PLUS CHUCK

- CHISELS ARE MADE OF HIGH GRADE SPECIAL STEEL AND HAVE A WEAR-RESISTANT, SAND-BLASTED SURFACE
- ONLY USING MACHINES WITH ROTATION STOP FACILITY
- FOR LIGHT CHISELLING AND GOUGING APPLICATION ON CONCRETE, MASONRY AND NATURAL STONE


DESCRIPTION: POINT CHISEL, FOR MACHINE WITH SDS PLUS CHUCK

SHANK MM	L MM	BODY TYPE
14	250	round
17	250	hex
17	300	hex
17	400	hex




DESCRIPTION: FLAT CHISEL, FOR MACHINE WITH SDS PLUS CHUCK

SHANK MM	L MM	HEAD MM	BODY TYPE
14	250	20	round
17	250	20	hex
17	300	20	hex
17	400	20	hex
14	250	40	round
17	250	40	hex
17	300	40	hex
17	400	40	hex



DESCRIPTION: GROOVE CHISEL, FOR MACHINE WITH SDS PLUS CHUCK

SHANK MM	L MM	BODY TYPE
14	250	round
17	250	hex
17	400	hex



WOOD BORING BITS



DIA (MM)	OVERALL LENGTH (MM)	DIA (INCH)	OVERALL LENGTH (INCH)
6	152	1/4	6
8	152	5/16	6
10	152	3/8	6
11	152	7/16	6
12	152	15/32	6
13	152	1/2	6
14	152	9/16	6
15	152	19/32	6
16	152	5/8	6
17	152	21/32	6
18	152	11/16	6
19	152	3/4	6
20	152	25/32	6
22	152	7/8	6
24	152	15/16	6
25	152	1	6
26	152	1-1/32	6
28	152	1-1/8	6
30	152	1-3/16	6
32	152	1-1/4	6
35	152	1-3/8	6
38	152	1-1/2	6
40	152	1-9/16	6

6P CS FLAT DRILL SET

MOD: W 2-022



- SPEC.: 10, 12, 16, 18, 20, 25MM
- PACKING: DOUBLE BLISTER

6 PCS FLAT DRILL SET

MOD: W 2-023



- SPEC.: 10, 12, 16, 18, 20, 25MM
- PACKING: PLASTIC BOX

HCS BRAD POINT WOOD WORK DRILL BITS



- MADE OF HIGH CARBON STEEL WITH BRAD POINT AND DUAL-SHOULDERED CUTTING SPURS
- CENTER POINT PREVENTS "SKATING"
- FOR DRILLING ACCURATE, SPLINTER-FREE HOLES IN SOFT WOOD, HARD WOOD, PLYWOOD AND MORE
- USE IN HAND DRILLS, ELECTRIC PORTABLE DRILLS, DRILL PRESSES AND LATHES

DIA. (MM)	SHANK DIA (MM)	OVERALL LENGTH (MM)
3	3	60
4	4	75
5	5	85
6	6	90
7	7	105
8	8	115
9	9	120
10	10	120
11	10	150
12	10	150
13	10	150
14	10	150
15	10	150
16	10	160
17	13	160
18	13	160
19	13	160
20	13	160
21	13	160
22	13	160
23	13	160
24	13	160
25	13	160
26	13	160

- DRILL BITS WITH 200MM, 300MM, 400MM, 600MM OVERALL LENGTH AVAILABLE

DIA. (INCH)	SHANK DIA (INCH)	OVERALL LENGTH (INCH)
1/8	1/8	2-3/8
5/32	5/32	3-1/16
3/16	3/16	3-1/2
7/32	7/32	3-23/32
15/64	15/64	3-27/32
1/4	1/4	3-31/32
17/64	17/64	4-1/8
9/32	9/32	4-3/16
5/16	5/16	4-7/16
11/32	11/32	4-25/32
23/64	23/64	4-25/32
3/8	3/8	5
25/64	3/8	5-1/32
13/32	3/8	5-3/16
7/16	3/8	5-1/2
29/64	3/8	5-5/8
15/32	3/8	5-3/4
31/64	3/8	5-3/4
1/2	3/8	5-3/4
9/16	3/8	6
5/8	3/8	7
3/4	3/8	7-3/4
7/8	3/8	8-1/4
1	3/8	8-3/4

- DRILL BITS WITH 8", 12", 16" OVERALL LENGTH AVAILABLE

WOOD WORKING DRILL, HALF GROUND/FULLY GROUND, BLACK AND BRIGHT FINISH



- MADE OF HSS/CARBON STEEL WITH BRAD POINT AND DUAL-SHOULDERED CUTTING SPURS
- PRECISION CENTER POINT FOR EASY POSITIONING AND EFFORTLESS DRILLING
- ROUND SHANK FITS ALL STANDARD CHUCKS

DIA. (MM)	SHANK DIA (MM)	OVERALL LENGTH (MM)
3	3	60
4	4	75
5	5	85
5.5	5.5	85
6	6	100
6.5	6.5	100
7	7	120
8	8	120
9	9	120
10	10	120
11	10	150
12	10	150
13	10	150

DIA. (INCH)	SHANK DIA (INCH)	OVERALL LENGTH (INCH)
1/8	1/8	2-23/64
5/32	5/32	2-61/64
3/16	3/16	3-11/64
7/32	7/32	3-11/32
1/4	1/4	3-15/16
9/32	9/32	3-15/16
5/16	5/16	4-47/64
11/32	11/32	4-47/64
3/8	3/8	4-47/64
13/32	3/8	4-47/64
7/16	3/8	5-29/32
15/32	3/8	5-29/32
1/2	3/8	5-29/32

5 PCS WOOD DRILL SET

MOD: W 2-024



- SPEC.: 4, 5, 6, 8, 10MM
- PACKING: PLASTIC BOX

8 PCS WOOD DRILL SET

MOD: W 2-025



- SPEC.: 3, 4, 5, 6, 7, 8, 9, 10MM
- PACKING: PLASTIC BOX

6 PCS WOOD DRILL SET

MOD: W 2-026



- SPEC.: 3, 4, 5, 6, 7, 8MM
- PACKING: PLASTIC BOX

AUGER BITS



- MADE OF HIGH CARBON STEEL WITH THREADED TIP
- SCREW THREADED CENTRE POINT FOR PRECISELY LOCATING THE BIT AND FOR FAST SELF-STARTING OF THE HOLE
- SINGLE OUTER CUTTING SPUR FOR SPLINTER FREE DRILLING AND CLEAN HOLES
- WIDE LANDS KEEP BIT STRAIGHT AS IT BORES THROUGH THE HOLE
- FULL LENGTH HEAT TREATMENT GUARDS AGAINST BENDING IN HEAVY-DUTY APPLICATIONS
- FOR PRECISE DRILLING IN SOFT AND HARD WOOD, LARGE SECTION BEAM, CHIPBOARD AND PLYWOOD
- BOTH HEX SHANK AND SDS-PLUS SHANK ARE AVAILABLE

DIA. (MM)	OVERALL LENGTH (MM)
6	230
6	460
8	230
8	460
10	230
10	460
12	230
12	460
14	230
14	460
16	230
16	460
18	230
18	460
20	230
20	460
22	230
22	460
24	230
24	460
26	230
26	460
28	230
28	460
30	230
30	460
32	230
32	460
34	230
34	460
36	230
36	460
38	230
38	460

DIA. (INCH)	OVERALL LENGTH (INCH)
1/4	9
1/4	18
5/16	9
5/16	18
3/8	9
3/8	18
7/16	9
7/16	18
1/2	9
1/2	18
9/16	9
9/16	18
5/8	9
5/8	18
11/16	9
11/16	18
3/4	9
3/4	18
13/16	9
13/16	18
7/8	9
7/8	18
15/16	9
15/16	18
1	9
1	18
1-1/8	9
1-1/8	18
1-1/4	9
1-1/4	18
1-3/8	9
1-3/8	18
1-1/2	9
1-1/2	18

6 PCS WOOD AUGER DRILL BIT

MOD: W 2-027



- SPEC.: (10, 12, 14, 16, 18, 20) x 230 / 460MM
- PACKING: WOODEN BOX


8 PCS WOOD AUGER DRILL BIT

MOD: W 2-028




- SPEC.: (10, 12, 14, 16, 18, 20, 22, 24) x 230 / 460MM
- PACKING: WOODEN BOX

TCT SAW BLADE FOR CUTTING WOOD





OUTER DIAMETER(D)		INNER DIAMETER(D)		TEETH NO.
INCHES	METRIC (MM)	INCHES	METRIC (MM)	
4-3/8"	110	5/8", 3/4"	16/20	24,30T
6"	150	5/8", 3/4"	16/20	24,30T
7"	180	3/4", 7/8", 1"	20/22/25.4	40,60T
8"	200	3/4", 7/8", 1"	20/22/25.4	40,60T
9"	230	3/4", 7/8", 1"	20/22/25.4	40,60T
10"	250	3/4", 7/8", 1"	20/22/25.4	40,60,80T
12"	300	7/8", 1", 1-1/5"	22/25.4/30	80,100T
14"	350	7/8", 1", 1-1/5"	22/25.4/30	80,100T
16"	400	7/8", 1", 1-1/5"	22/25.4/30	80,120T

TCT SAW BLADE FOR CUTTING ALUMINIUM





OUTER DIAMETER(D)		INNER DIAMETER(D)		TEETH NO.
INCHES	METRIC (MM)	INCHES	METRIC (MM)	
4-3/8"	110	5/8", 3/4"	16/20	30,40T
6"	150	5/8", 3/4"	16/20	30,40T
7"	180	3/4", 7/8", 1"	20/22/25.4	40,60T
8"	200	3/4", 7/8", 1"	20/22/25.4	60,80T
9"	230	3/4", 7/8", 1"	20/22/25.4	80,100T
10"	250	3/4", 7/8", 1"	20/22/25.4	80,100,120T
12"	300	7/8", 1", 1-1/5"	22/25.4/30	80,100T
14"	350	7/8", 1", 1-1/5"	22/25.4/30	80,100T
16"	400	7/8", 1", 1-1/5"	22/25.4/30	80,120T

TCT SAW BLADE FOR CUTTING IRON



OUTER DIAMETER(D)		INNER DIAMETER(D)		TEETH NO.
INCHES	METRIC (MM)	INCHES	METRIC (MM)	
4-3/8"	110	5/8", 3/4"	16/20	24T
6"	150	5/8", 3/4"	16/20	24T
7"	180	3/4", 7/8", 1"	20/22/25.4	40T
8"	200	3/4", 7/8", 1"	20/22/25.4	40T
9"	230	3/4", 7/8", 1"	20/22/25.4	80T
10"	250	3/4", 7/8", 1"	20/22/25.4	80T
12"	300	7/8", 1", 1-1/5"	22/25.4/30	80, 100T
14"	350	7/8", 1", 1-1/5"	22/25.4/30	100, 120T
16"	400	7/8", 1", 1-1/5"	22/25.4/30	100, va120T

SAW BLADE FOR CUTTING WOOD



OUTER DIAMETER(D)		INNER DIAMETER(D)		TEETH NO.
INCHES	METRIC (MM)	INCHES	METRIC (MM)	
4-3/8"	110	5/8", 3/4"	16/20	24,30T
6"	150	5/8", 3/4"	16/20	24,30T
7"	180	3/4", 7/8", 1"	20/22/25.4	40,60T
8"	200	3/4", 7/8", 1"	20/22/25.4	40,60T
9"	230	3/4", 7/8", 1"	20/22/25.4	40,60T
10"	250	3/4", 7/8", 1"	20/22/25.4	40,60,80T
12"	300	7/8", 1", 1-1/5"	22/25.4/30	80,100T
14"	350	7/8", 1", 1-1/5"	22/25.4/30	80,100T
16"	400	7/8", 1", 1-1/5"	22/25.4/30	80,120T

SEGMENTED SAW BLADE (COLD/HOT PRESSED)



OUTER DIAMETER		HOLE DIAMETER		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC (MM)	INCHES	METRIC (MM)		
4"	105	7/8"	20/22.23	7.0	8
4.3"	110	7/8"	20/22.23	7.0	8
4.5"	115	7/8"	20/22.23	7.0	8
5"	125	7/8"	20/22.23	7.0	9
6"	150	7/8"	20/22.23	7.0	12
7"	180	7/8"	20/22.23	7.0	14
8"	200	7/8"	20/22.23	7.0	14
9"	230	7/8"	20/22.23	7.2	18
10"	250	7/8" - 1"	22.23/25.4	7.5	18
12"	300	1" - 2"	25.4/50	7.5	22
14"	350	1" - 2"	25.4/50	7.5	24
16"	400	1" - 2"	25.4/50	7.5	28

CONTINUOUS RIM SAW BLADE (COLD/HOT PRESSED)



OUTER DIAMETER		HOLE DIAMETER		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC (MM)	INCHES	METRIC (MM)		
4"	105	7/8"	20/22.23	7.0	8
4.3"	110	7/8"	20/22.23	7.0	8
4.5"	115	7/8"	20/22.23	7.0	8
5"	125	7/8"	20/22.23	7.0	9
6"	150	7/8"	20/22.23	7.0	12
7"	180	7/8"	20/22.23	7.0	14
8"	200	7/8"	20/22.23	7.0	14
9"	230	7/8"	20/22.23	7.2	18
10"	250	7/8" - 1"	22.23/25.4	7.5	18
12"	300	1" - 2"	25.4/50	7.5	22
14"	350	1" - 2"	25.4/50	7.5	24
16"	400	1" - 2"	25.4/50	7.5	28

TURBO SAW BLADE (COLD/HOT PRESSED)



OUTER DIAMETER		HOLE DIAMETER		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC (MM)	INCHES	METRIC (MM)		
4"	105	7/8"	20/22.23	7.0	8
4.3"	110	7/8"	20/22.23	7.0	8
4.5"	115	7/8"	20/22.23	7.0	8
5"	125	7/8"	20/22.23	7.0	9
6"	150	7/8"	20/22.23	7.0	12
7"	180	7/8"	20/22.23	7.0	14
8"	200	7/8"	20/22.23	7.0	14
9"	230	7/8"	20/22.23	7.2	18
10"	250	7/8" - 1"	22.23/25.4	7.5	18
12"	300	1" - 2"	25.4/50	7.5	22
14"	350	1" - 2"	25.4/50	7.5	24
16"	400	1" - 2"	25.4/50	7.5	28




WD41050
5PCS DIAMOND SAW BLADE SET



WD41080
8PCS DIAMOND SAW BLADE SET

SET OF 22 PCS BITS & DRILLS FOR METAL

MOD: W 2-029



5 x HSS4241 TWIST DRILLS 2 - 3 - 4 - 5 - 6 mm

4 x WOOD DRILLS 4 - 5 - 6 - 8 mm

4 x MASONRY DRILLS 4 - 5 - 6 - 8 mm

- 1 x MAGNETIC BIT HOLDER (1/4")
- 8 x 1" CR-V BITS (1/4")

SET OF 19 PCS BITS & DRILLS FOR METAL

MOD: W 2-030



• 6 x HSS4241 TWIST DRILLS

- SPEC.: 2 - 3 - 4 - 5 - 6 - 8 MM
- 1 x MAGNETIC BIT HOLDER (1/4")
- 12 x 1" CR-V BITS (1/4")

SET OF 19 PCS BITS & DRILLS FOR WOOD

MOD: W 2-031



• 6 x WOOD DRILLS

- SPEC.: 3 - 4 - 5 - 6 - 8 - 10 MM
- 1 x MAGNETIC BIT HOLDER (1/4")
- 12 x 1" CR-V BITS (1/4")

SET OF 19 PCS BITS & DRILLS FOR MASONRY

MOD: W 2-032



• 6 x MASONRY DRILLS

- SPEC.: 3 - 4 - 5 - 6 - 8 - 10 MM
- 1 x MAGNETIC BIT HOLDER (1/4")
- 12 x 1" CR-V BITS (1/4")

SET OF 19 PCS BITS & DRILLS FOR GLASS & TILES

MOD: W 2-033



• 6 x GLASS & TILES DRILLS

- SPEC.: 3 - 4 - 5 - 6 - 8 - 10 MM
- 1 x MAGNETIC BIT HOLDER (1/4")
- 12 x 1" CR-V BITS (1/4")

75 PCS SCREWDRIVER BIT SET

MOD: W 2-034



DOUBLE-SIDED BOX

28 PCS DRILL & DRIVER BITS SET

MOD: W 2-035



DOUBLE-SIDED BOX

28 PCS DRILL & DRIVER BITS SET

MOD: W 2-036



DOUBLE-SIDED BOX

89 PCS SCREWDRIVER BIT SET

MOD: W 2-037



DOUBLE-SIDED BOX

7 PCS FLAT BIT SET

MOD: W 2-038



15P CS HSS DRILL BIT SET

MOD: W 2-039



37 PCS SCREWDRIVER BIT AND SOCKET SET

MOD: W 2-040



29 PCS DRIVER BIT SET

MOD: W 2-041



15 PCS MANSORY DRILL BIT SET

MOD: W 2-042



15 PCS BRAD POINT WOOD DRILL BIT SET

MOD: W 2-043



51 PCS DRILL & BIT SET

MOD: W 2-044



81 PCS DRILL & BIT SET

MOD: W 2-045



50 PCS COMBINATION DRILL SET

MOD: W 2-046



75 PCS DRILL & BIT SET

MOD: W 2-047



74 PCS DRILL & BIT SET

MOD: W 2-048



95 PCS DRILL & BIT SET

MOD: W 2-049



50 PCS DRILL & BIT SET

MOD: W 2-050

**246 PCS DRILL & BIT SET**

MOD: W 2-051

**50 PCS DRILL & BIT SET**

MOD: W 2-052

**58 PCS DRILL & BIT SET**

MOD: W 2-053

**19 PCS COMBINATION DRILL SET**

MOD: W 2-054

**49 PCS DRILL & BIT SET**

MOD: W 2-055

**204 PCS DRILL SET**

MOD: W 2-056

**271 PCS DRILL & BIT SET**

MOD: W 2-057

**90 PCS DRILL & BIT SET**

MOD: W 2-058

**88 PCS DRILL SET**

MOD: W 2-059

**120 PCS DRILL & BIT SET**

MOD: W 2-060

**23 PC TOOL SET**

MOD: W 2-061



60 PCS POLISHING AND GRINDING ACCESSORIES SET

MOD: W 2-062

SPECIFICATION:

- 2 PCS MOUNTED POINT
- 1 PC DIAMOND POINT
- 1 PC MANDREL FOR FELT WHEEL
- 1 PC MANDREL
- 1 PC STEEL SIRE WHEEL BRUSH
- 1 PC SANDING DRUM WITH SANDING BAND
- 3 PCS Φ 12.7MM SANDING BAND
- 1 PC WHETSTONE
- 1 PC FELT POINT
- 2 PCS FELT WHEEL
- 36 PCS RESINOID CUTTING DISC



24 PCS POLISHING ACCESSORIES SET

MOD: W 2-063

SPECIFICATION:

- 1 PC STEEL WIRE WHEEL BRUSH
- 3 PCS NYLOND BRUSH
- 1 PC MANDREL
- 1 PC MANDREL FOR FELT WHEEL
- 1 PC SANDGING DRUM
- 1 PC FELT POINT
- 6 PCS Φ 13MM FELT WHEEL
- 3 PCS Φ 25MM FELT WHEEL
- 5 PCS Φ 22MM DOUBLE-NET RESINOID CUTTING DISC
- 1 PC RUBBER RESINOID DISC
- 1 PC POLISHING COMPOUND



12 PCS GRINDING ACCESSORIES SET

MOD: W 2-064

SPECIFICATION:

- 6 PCS DIAMOND POINT
- 4 PCS MOUNTED POINT
- 2 PCS BRASS COLLET



71 PCS GRINDING ACCESSORIES SET

MOD: W 2-065

SPECIFICATION:

- 4 PCS MOUNTED POINT
- 1 PC SANDING DRUM
- 2 PCS MANDREL
- 1 PC ALUMINIUM OXIDE SANDING DISC
- 1 PC Φ 22MM DOUBLE-NET RESINOID CUTTING DISC
- 8 PCS Φ 12.7MM SANDING BAND
- 36 PCS RESINOID CUTTING DISC
- 18 PCS SANDING DISC



50 PCS GRINDING ACCESSORIES SET

MOD: W 2-066

SPECIFICATION:

- 2 PCS DIAMOND POINT
- 1 PC MANDREL FOR FELT WHEEL
- 1 PC SANDING DRUM
- 6 PCS SANDING BAND
- 4 PCS Φ 22MM DOUBLE-NET RESINOID CUTTING DISC
- 36 PCS RESINOID CUTTING DISC



71 PCS GRINDING ACCESSORIES SET

MOD: W 2-067

SPECIFICATION:

- 4 PCS MOUNTED POINT
- 1 PC SANDING DRUM
- 1 PC MANDREL
- 1 PC Φ 13MM FELT WHEEL BRUSH
- 1 PC SILICON CARBIDE SANDING DISC
- 1 PC Φ 22MM DOUBLE-NET RESINOID CUTTING DISC
- 8 PCS Φ 12.7MM SANDING BAND
- 36 PCS RESINOID CUTTING DISC
- 18 PCS SANDING DISC



33 PCS GRINDING ACCESSORIES SET

MOD: W 2-068

SPECIFICATION:

- 5 PCS MOUNTED POINT
- 1 PC MANDREL
- 1 PC BROWN NON-WOVEN WHEEL
- 8 PCS ϕ 12.7MM SANDING BAND
- 1 PC ϕ 32MM DOUBLE-NET RESINOID CUTTING DISC
- 17 PCS SANDING DISC



59 PCS POLISHING AND GRINDING ACCESSORIES SET

MOD: W 2-069

SPECIFICATION:

- 2 PCS MOUNTED POINT
- 1 PC DIAMOND POINT
- 1 PC SANDING DRUM
- 1 PC MANDREL
- 1 PC MANDREL FOR FELT WHEEL
- 1 PC NYLON WHEEL BRUSH
- 1 PC WHETSTONE
- 1 PC ϕ 32MM DOUBLE-NET RESINOID CUTTING DISC
- 36 PCS RESINOID CUTTING DISC
- 7 PCS SANDING DISC
- 2 PCS ϕ 13MM FELT WHEEL BRUSH
- 2 PCS ϕ 25MM FELT WHEEL BRUSH
- 3 PCS ϕ 12.7MM SANDING BAND



71 PCS GRINDING ACCESSORIES SET

MOD: W 2-070

SPECIFICATION:

- 11 PCS ϕ 32MM DOUBLE-NET RESINOID CUTTING DISC
- 36 PCS THICKNESS 1MM RESINOID CUTTING DISC
- 24 PCS THICKNESS 0.8MM RESINOID CUTTING DISC



48 PCS GRINDING ACCESSORIES SET

MOD: W 2-071

SPECIFICATION:

- 4 PCS ϕ 32MM DOUBLE-NET RESINOID CUTTING DISC
- 2 PCS DIAMOND POINT
- 1 PC MANDREL
- 1 PC SANDING DRUM
- 4 PCS ϕ 12.7MM SANDING BAND
- 36 PCS RESINOID CUTTING DISC



190 PCS POLISHING AND GRINDING ACCESSORIES SET

MOD: W 2-072

SPECIFICATION:

- 5 PCS ϕ 6.3MM SANDING BAND
- 5 PCS ϕ 12.7MM SANDING BAND
- 1 PC ϕ 12.7MM SANDING DRUM
- 1 PC ϕ 6.3MM SANDING DRUM
- 4 PCS ϕ 13MM FELT WHEEL
- 1 PC ϕ 25MM FELT WHEEL
- 5 PCS PINK ALUMINIUM OXIDE SANDING DISC
- 5 PCS GREEN SILICON CARBIDE SANDING DISC
- 3 PCS BRASS COLLET
- 2 PCS MANDREL
- 1 PC MANDREL FOR FELT WHEEL
- 1 PC HSS CUTTER
- 4 PCS DIAMOND POINT
- 5 PCS MOUNTED POINT
- 1 PC WRENCH
- 1 PC BROWN ALUMINIUM OXIDE FLAP WHEEL
- 2 PCS DOUBLE-NET RESINOID CUTTING DISC
- 1 PC WHETSTONE
- 1 PC BRASS WIRE WHEEL BRUSH
- 1 PC BRASS WIRE CUP BRUSH
- 1 PC BRASS WIRE END BRUSH
- 1 PC STEEL WIRE WHEEL BRUSH
- 1 PC STEEL WIRE CUP BRUSH
- 1 PC STEEL WIRE END BRUSH
- 1 PC POLISHING COMPOUND
- 58 PCS SANDING DISC
- 36 PCS RED RESINOID CUTTING DISC
- 36 PCS BLACK RESINOID CUTTING DISC



249 PCS POLISHING AND GRINDING ACCESSORIES SET

MOD: W 2-073

SPECIFICATION:

- 21 PCS ϕ 6.3MM SANDING BAND
- 18 PCS ϕ 12.7MM SANDING BAND
- 1 PC ϕ 12.7MM SANDING DRUM
- 1 PC ϕ 6.3MM SANDING DRUM
- 3 PCS MANDREL
- 1 PC MANDREL FOR FELT WHEEL
- 2 PCS HSS CUTTER
- 1 PC WRENCH
- 4 PCS BRASS COLLET
- 4 PCS DRILL BIT
- 9 PCS DIAMOND POINT
- 14 PCS MOUNTED POINT
- 1 PC BRASS WIRE WHEEL BRUSH
- 1 PC BRASS WIRE CUP BRUSH
- 1 PC BRASS WIRE END BRUSH
- 1 PC NYLON WHEEL BRUSH
- 1 PC NYLON CUP BRUSH
- 1 PC NYLON END BRUSH
- 1 PC 32MM BROWN ALUMINIUM OXIDE FLAP WHEEL
- 5 PCS DOUBLE-NET RESINOID CUTTING DISC
- 1 PC WHETSTONE
- 6 PCS PINK ALUMINIUM OXIDE SANDING DISC
- 6 PCS GREEN SILICON CARBIDE SANDING DISC
- 2 PCS 25MM FELT WHEEL
- 4 PCS 13MM FELT WHEEL
- 1 PC FELT POINT
- 24 PCS RESINOID CUTTING DISC
- 36 PCS RESINOID CUTTING DISC
- 2 PCS POLISHING COMPOUND
- 75 PCS SANDING DISC



82 PCS POLISHING AND GRINDING ACCESSEORIES SET

MOD: W 2-074

SPECIFICATION:

- 4 PCS Φ 6.3MM SANDING BAND
- 4 PCS Φ 12.7MM SANDING BAND
- 1 PC Φ 12.7MM SANDING DRUM
- 1 PC Φ 6.3MM SANDING DRUM
- 6 PCS PINK ALUMINIUM OXIDE SANDING DISC
- 6 PCS GREEN SILICON CARBIDE SANDING DISC
- 4 PCS MOUNTED POINT
- 5 PCS DIAMOND POINT
- 1 PC MANDREL
- 1 PC MANDREL FOR FELT WHEEL
- 1 PC STEEL WIRE WHEEL BRUSH
- 36 PCS RESINOID CUTTING DISC
- 1 PC GREEN POLISHING COMPOUND
- 3 PCS 25MM FELT WHEEL
- 4 PCS 13MM FELT WHEEL
- 1 PC WHETSTONE
- 1 PC FELT POINT
- 2 PCS BRASS COLLET



188 PCS POLISHING AND GRINDING ACCESSEORIES SET

MOD: W 2-075

SPECIFICATION:

- 5 PCS Φ 6.3MM SANDING BAND
- 4 PCS Φ 12.7MM SANDING BAND
- 1 PC Φ 12.7MM SANDING DRUM
- 1 PC Φ 6.3MM SANDING DRUM
- 2 PCS 25MM FELT WHEEL
- 3 PCS 13MM FELT WHEEL
- 25 PCS SANDING DISC
- 1 PC WHETSTONE
- 2 PCS PINK ALUMINIUM OXIDE SANDING DISC
- 2 PCS GREEN SILICON CARBIDE SANDING DISC
- 2 PCS BROWN RUBBER GRINDING DISC
- 7 PCS DIAMOND POINT
- 3 PCS MANDREL
- 1 PC MANDREL FOR FELT WHEEL
- 4 PCS BRASS COLLET
- 6 PCS MOUNTED POINT
- 1 PC STEEL WIRE CUP POINT
- 1 PC POLISHING COMPOUND
- 5 PCS DOUBLE-NET RESINOID CUTTING DISC
- 36 PCS RESINOID CUTTING DISC
- 76 PCS SANDING DISC



249 PCS POLISHING AND GRINDING ACCESSEORIES SET

MOD: W 2-076

SPECIFICATION:

- 21 PCS Φ 6.3MM SANDING BAND
- 18 PCS Φ 12.7MM SANDING BAND
- 1 PC 25MM FELT WHEEL
- 4 PCS 13MM FELT WHEEL
- 1 PC FELT POINT
- 1 PC RUBBER GRINDING DISC
- 1 PC CLOTH BUFFING WHEEL
- 1 PC Φ 32MM BROWN ALUMINIUM OXIDE FLAP WHEEL
- 1 PC WRENCH
- 5 PCS DOUBLE-NET RESINOID CUTTING DISC
- 1 PC Φ 12.7MM SANDING DRUM
- 1 PC Φ 6.3MM SANDING DRUM
- 5 PCS DIAMOND POINT
- 6 PCS MANDREL
- 3 PCS HSS CUTTER
- 5 PCS DRILL BIT
- 8 PCS RUBBER MOUNTED POINT 10PCS MOUNTED POINT
- 6 PCS PINK ALUMINIUM OXIDE SANDING DISC
- 6 PCS GREEN SILICON CARBIDE SANDING DISC
- 1 PC WHETSTONE
- 4 PCS BRASS COLLET
- 1 PC BRASS WIRE WHEEL BRUSH
- 1 PC BRASS WIRE CUP BRUSH
- 1 PC BRASS WIRE END BRUSH
- 1 PC NYLON WHEEL BRUSH
- 1 PC NYLON CUP BRUSH
- 1 PC NYLON END BRUSH
- 1 PC STEEL WIRE WHEEL BRUSH
- 1 PC STEEL WIRE CUP BRUSH
- 1 PC STEEL WIRE END BRUSH
- 2 PCS POLISHING COMPOUND
- 36 PCS RESINOID CUTTING DISC
- 24 PCS RESINOID CUTTING DISC
- 68 PCS SANDING DISC



