



INWELL[®]

INWELL INC. (USA)
16782 VON KARMAN AVE STE 25, IRVINE, CA92606-2418

HANGZHOU ELUM TECHNOLOGY GROUP CO., LTD.
ROOM 315, BUILDING 2, XIXI CENTURY CENTER,
JIANGDUN ROAD, 310030, HANGZHOU, CHINA

E-MAIL : SALES@INWELLPRODUCTS.COM
WEBSITE : WWW.INWELLPRODUCTS.COM

INWELL[®]

POWER TOOLS

LED WORK LIGHT

MOD: W 1-001

- DIE-CAST ALUMINUM BODY
- COB LED
- 0-180° ROTATION
- TWO BRIGHTNESS SETTINGS
- USB-C INTERFACE

POWER SUPPLY	DC-20V
MAX OUTPUT	1000LM/2000LM
WORKING TIME	3H/1.5H
MODE	50%-100%-OFF



2 AH IPX20

LED WORK LIGHT

MOD: W 1-002

- COB LED
- 0-90° ROTATION
- SPOTLIGHT STYLE GRIP

POWER SUPPLY	DC-20V
MAX OUTPUT	500LM/1000LM
WORKING TIME	7H/3.5H
MODE	50%-100%-FLASHING-OFF



4 AH IPX20

LED WORK LIGHT

MOD: W 1-003

- COB LED
- 360° ROTATION
- TWO BRIGHTNESS SETTING
- AC OR DC POWER MODE

POWER SUPPLY	DC-20V
MAX OUTPUT	1200LM/2400LM
WORKING TIME	3H/1.5H
MODE	50%-100%-OFF



2 AH

VACUUM CLEANER

MOD: W 1-004

- BAGLESS CONVENIENCE
- LARGE CAPACITY BIN
- ASSORTMENT OF ATTACHMENTS

POWER SUPPLY	DC-20V
DUST CUP CAPACITY (DRY)	500ML (DRY ONLY)
VACUUM(KPA)	≥3.8KPA
RUNTIME	12MINUTES
FILTER	FABRIC FILTER BAG



2 AH PACK

LEAF BLOWER

MOD: W 1-005

- MULTIFUNCTION LEAFBLOWER / VACUUM
- VARIABLE SPEED

POWER SUPPLY	DC-20V
AIR FLOW SPEED	≥63.5M/S(BLOWER FUNCTION)
VACUUM (KPA)	3H/1.5H
RUNTIME	9MIN



2 AH PACK

CORDLESS AIR INFLATOR

MOD: W 1-006

- MULTIFUNCTION AIR INFLATOR/ BLOWER
- DIGITAL DISPLAY
- USB-C INTERFACE
- BUILT-IN LED LIGHT

POWER SUPPLY	DC-20V
MAX PRESSURE	160 PSI / 11 BAR
FLOW RATE	12L/MIN FOR INFLATOR 380L/MIN FOR PUMP
SPEED RATE	3200RPM



CORDLESS SCREWDRIVER

MOD: W 1-007

- 1/4" QUICK CONNECT CHUCK
- ALL-METAL GEARBOX
- BRUSHLESS MOTOR
- BUILT-IN LED LIGHT
- VARIABLE SPEED
- SOFT GRIP

VOLTAGE	DC-20V
NO LOAD SPEED	0-2800/MIN
IMPACT RATE	0-3200/MIN
TORQUE	200N.M
MOTOR	5010#



4 AH 20 V

IMPACT DRIVER

MOD: W 1-008

- PREMIUM MOTOR
- ALL-METAL GEARBOX
- DUAL SPEED
- BUILT-IN LED LIGHT

VOLTAGE	DC-20V
NO LOAD SPEED	0-2600/MIN
IMPACT RATE	0-3300/BPM
MAX. TORQUE	200N.M
CHUCK TYPE	SQUARE DRIVE SOCKET 1/2"
MOTOR	735# (DOMESTIC)



20 V

IMPACT DRIVER

MOD: W 1-009

- 1/4" QUICK CONNECT CHUCK
- ALL-METAL GEARBOX
- PREMIUM MOTOR
- BUILT-IN LED LIGHT
- VARIABLE SPEED
- SOFT GRIP

VOLTAGE	DC-20V
NO LOAD SPEED	0-2600/MIN
IMPACT RATE	0-3300/BPM
MAX. TORQUE	150N.M
CHUCK TYPE	1/4" HEX SHAPED SOCKET
MOTOR	735# (DOMESTIC)



20 V

IMPACT DRIVER

MOD: W 1-010

- 1/2" SQUARE DRIVE
- BRUSHLESS MOTOR
- BUILT-IN LED LIGHT
- VARIABLE SPEED
- SOFT GRIP

VOLTAGE	DC-20V
NO LOAD SPEED	0-1000/0-1500/0-1900MIN
IMPACT RATE	0-3200/BPM
MAX. TORQUE	600N.M
MOTOR	5030#



20 V

DUAL SPEED DRILL

MOD: W 1-011

- PREMIUM MOTOR
- ALL-METAL GEARBOX
- DUAL SPEED
- ALL-METAL KEYLESS CHUCK
- BUILT-IN LED LIGHT
- 21 + 1 TORQUE SETTING

VOLTAGE	DC-20V
NO LOAD SPEED	0-450/0-1700MIN
CHUCK SIZE	13MM ALL-METAL
MAX. TORQUE	50N.M
MOTOR	735# (DOMESTIC)



4 AH 20 V

DUAL SPEED DRILL

MOD: W 1-012

- PREMIUM MOTOR
- DUAL SPEED
- BUILT-IN LED LIGHT
- KEYLESS CHUCK
- 19 + 1 TORQUE SETTING

VOLTAGE	DC-20V
NO LOAD SPEED	0-400/0-1500MIN
CHUCK SIZE	10MM
MAX. TORQUE	30N.M
MOTOR	550# (DOMESTIC)



4 AH 20 V

CORDLESS DRILL

MOD: W 1-013

- PREMIUM MOTOR
- ALL-METAL GEARBOX
- DUAL SPEED
- ALL-METAL KEYLESS CHUCK
- BUILT-IN LED LIGHT
- 21 TORQUE SETTINGS



VOLTAGE	DC-20V
NO LOAD SPEED	0-450/0-1700MIN
IMPACT RATE	0-6400/24000BPM
MAX. TORQUE	50N.M
CHUCK SIZE	13MM ALL-METAL
MOTOR	735# (DOMESTIC)

4 AH 20 V

CORDLESS HAMMER DRILL

MOD: W 1-014

- PREMIUM MOTOR
- HAMMER AND DRILL FUNCTIONS
- ALL-METAL KEYLESS CHUCK
- FORWARD AND REVERSE FUNCTION



VOLTAGE	DC-20V
NO LOAD SPEED	0-1000MIN
IMPACT ENERGY	1.5J
CONCRETE	16MM
STEEL	13MM ALL-METAL
WOOD	20MM

20 V

CORDLESS HEAT GUN

MOD: W 1-015

- CORDLESS AND COMPACT SIZE
- HEATS UP IN JUST 5 SECONDS
- BUILT-IN LED LIGHT
- FOLDABLE HANGING HOOK
- QUICK RELEASE NOZZLE



VOLTAGE	DC-20V
RATED CURRENT	15A
TEMPERATURE	550 °C
AIR FLOW	200L/M

20 V

CORDLESS ANGLE GRINDER

MOD: W 1-016

- SOFT GRIP HANDLE
- SPINDLE LOCK
- DUST SCREEN



VOLTAGE	DC-20V
NO LOAD SPEED	8,000 RPM
DIE OF WHEEL	115MM (4-1/2")
THREAD SIZE	14MM
MOTOR	5030#

20 V

CORDLESS ANGLE GRINDER

MOD: W 1-017

- PREMIUM MOTOR
- ALUMINUM GEARBOX HOUSING
- TOOL-FREE SAFETY GUARD
- SLIM PROFILE AND COMPACT SIZE



VOLTAGE	DC-20V
NO LOAD SPEED	7500RPM
DIA. OF WHEEL	115MM(4-1/2")
THREAD SIZE	14MM

20 V

CORDLESS SANDER

MOD: W 1-018

- ERGONOMIC HANDLE DESIGN
- OPTIMIZED VENTING SYSTEM



VOLTAGE	DC-20V
NO LOAD SPEED	12000RPM
SANDING PAD SIZE	140X140X80MM (5-1/2" X 5-1/2" X 3-3/16")

20 V

MINI CIRCULAR SAW

MOD: W 1-019

- ALL-METAL GEARBOX
- 0-45° ANGLED CUTS
- ALUMINUM UPPER GUARD
- DUST COLLECTOR
- QUICK CLAMP FOR DEPTH SETTING



VOLTAGE	DC-20V
NO LOAD SPEED	4500RPM
BLADE DIA	115MM(4-1/2")
ARBOR SIZE	10MM
MAX. CUTTING DEPTH	42.8MM(1-11/16") @90° 28MM(1-1/8")@45°

20 V

MINI CIRCULAR SAW

MOD: W 1-020

- ALL-METAL GEARBOX
- 0-45° ANGLED CUTS
- ALUMINUM UPPER GUARD
- DUST COLLECTOR
- QUICK CLAMP FOR DEPTH SETTING



VOLTAGE	DC-20V
NO LOAD SPEED	4500RPM
BLADE DIA	115MM(4-1/2")
ARBOR SIZE	10MM
MAX. CUTTING DEPTH	42.8MM(1-11/16") @90° 28MM(1-1/8")@45°

20 V

MINI PLUNGE SAW

MOD: W 1-021

- ALL-METAL GEARBOX
- PLUNGE CUT WITH DEPTH CONTROL
- ALUMINUM UPPER GUARD



VOLTAGE	DC-20V
NO LOAD SPEED	2800RPM
BLADE DIA	89MM(3-1/2")
ARBOR SIZE	10MM
MAX. CUTTING DEPTH	WOOD: 28.5MM(1-1/8") ALUM.: 3MM(1/8") TILE: 8MM(1/3")

20 V

CIRCULAR SAW

MOD: W 1-022

- ALL-METAL GEARBOX
- 0-45° ANGLED CUTS
- ALUMINUM UPPER GUARD
- QUICK CLAMP FOR DEPTH SETTING



VOLTAGE	DC-20V
NO LOAD SPEED	4300RPM
BLADE SIZE	165MM
MAX. CUTTING DEPTH	53MM@90° 35MM@45°

4 AH 20 V

RECIPROCATING SAW

MOD: W 1-023

- PREMIUM MOTOR
- ERGONOMIC HANDLE
- SOFT GRIP
- HIGH CUTTING CAPACITY



VOLTAGE	DC-20V
NO LOAD SPEED	0-2700SPM
RECIPROCATING STROKE	25MM
MAX. CUTTING CAPACITY	150MM

4 AH 20 V

JIG SAW

MOD: W 1-024

- PREMIUM MOTOR
- ALUMINUM GEARBOX
- QUICK CHANGE BLADE SYSTEM
- ADJUSTABLE ALUMINUM BASE
- BUILT-IN LED LIGHT



VOLTAGE	DC-20V
NO LOAD SPEED	0-2300RPM
STROKE LENGTH	1"
CUTTING CAPACITY	WOOD 90MM STEEL 6MM

4 AH 20 V

MULTI TOOL

MOD: W 1-025

- PREMIUM MOTOR
- BUILT-IN LED LIGHT
- VARIABLE SPEED
- SOFT GRIP



VOLTAGE	DC-20V
NO LOAD SPEED	5000-19000MIN ⁻¹
OSCILATIONS ANGLE	4°

20 V

MUTIL TOOL

MOD: W 1-026

- PREMIUM MOTOR
- BUILT-IN LED LIGHT
- VARIABLE SPEED
- SOFT GRIP



VOLTAGE	DC-20V
NO LOAD SPEED	5000-19000MIN ⁻¹
OSCILATIONS ANGLE	4°

20 V

CORDLESS BACKPACK SPRAYER

MOD: W 1-027

- SUITABLE FOR MOST INDUSTRIAL LIQUIDS
- DIAPHRAM PUMP
- SMART HANDLE SWITCH
- ASSORTMENT OF NOZZLES



VOLTAGE	DC-20V
WORKING FLOW	1.2L/MIN
WORKING PRESSURE	0.45MPA
TANK VOLUME	15L

20 V

CORDLESS AIR COMPRESSOR

MOD: W 1-028

- DURABLE BELT DRIVE SYSTEM FOR LONGER SERVICE LIFE
- DRIVE UP TO 1,200 BRAD NAILS WITH TWO 4AH BATTERIES
- 116 MAX PSI
- QUIET AND EFFICIENT OPERATION



VOLTAGE	36V
MAX PRESSURE	116PSI
AIR FLOW	98L/MIN
AIR FLOW	6L

36 V

CORDLESS AIR COMPRESSOR

MOD: W 1-029

- COMPACT DESIGN
- DURABLE BELT DRIVE SYSTEM
- 116 MAX PSI
- CONVENIENT CORD STORAGE SYSTEM
- CAN ALSO BE USED AS A PORTABLE INFLATOR



VOLTAGE	36V
MAX PRESSURE	116PSI
AIR FLOW	98L/MIN

36 V

CORDLESS PAINT SPRAYER

MOD: W 1-030

- QUICK FILL CONTAINER
- 3 SPRAY PATTERNS
- ADJUSTABLE WIDTH AND FLOW RATE
- COMFORTABLE, SOFT HANDLE
- QUICK RELEASE HEAD ASSEMBLY FOR EASE OF CLEANING



VOLTAGE	DC-20V
CUP CAPACIT	900ML
WATER FLOW RATE	700ML/MIN
MAX.VISCOSITY	60DIN-S
STANDARD NOZZLE SIZE	2.5MM

20 V

CORDLESS GREASE GUN

MOD: W 1-031

- HIGH CAPACITY
- VARIABLE SPEED
- BUILT-IN LED LIGHT
- PRESSURE RELIEF VALVE



VOLTAGE	DC-20V
MAX PRESSURE	9000PSI
NO LOAD SPEED	200G/MIN
DUST CUP CAPACITY	420ML

4 AH 20 V

CORDLESS CAULKING GUN

MOD: W 1-032

- VARIABLE SPEED
- HIGH PUSH FORCE
- ANTI-DRIP TECHNOLOGY
- DISPENSE UP TO 400 TUBES PER CHARGE



VOLTAGE	DC-20V
MAX PRESSURE	2000PSI
NO LOAD SPEED	30-480MM/MIN

4 AH 20 V

CORDLESS NAIL GUN

MOD: W 1-033

- 2-IN-1 FUNCTION (F50/40)
- HIGH-COMPRESSION AIR PUMP
- QUICK CHANGE SYSTEM
- SINGLE / CONTINUOUS MODES
- ADJUSTABLE NAILING DEPTH



VOLTAGE	DC-20V
MAX FIRING SPEED	100NAILS/MIN
MAX MAGAZINE CAPACITY	100 NAILS/STAPLES
MAX LENGTH OF NAIL	50MM
MAX LENGTH OF NAIL	40MM
SHOTS/FULL CHARGE	400SHOTE

4 AH 20 V

BLUETOOTH JOBSITE SPEAKER

MOD: W 1-034

- AM / FM RADIO
- AC AND DC POWER SUPPLY
- BLUETOOTH 5.0
- 2.4" TFT DISPLAY
- 20 PRESET STATIONS
- STEREO SPEAKERS
- LONG BATTERY AND USB CHARGING CAPABILITY
- STURDY CARRYING HANDLE



VOLTAGE	20V/220-240V 50/60HZ
DAB	174-240MHZ
FM	87.5-108MHZ
BLUETOOTH	V5.0
POWER OUTPUT	2X8W

4 AH 20 V

BATTERY CHARGER

MOD: W 1-035

- DIAGNOSTIC LED INDICATOR
- SHORT CIRCUIT PROTECTION
- OVER HEATING PROTECTION
- OVERCHARGING PROTECTION



RATED VOLTAGE	DC-20V
2AH BATTERY CHARGE TIME	40MIN
4AH BATTERY CHARGE TIME	1HR
6AH BATTERY CHARGE TIME	1.5HR

20 V

BATTERY CHARGER

MOD: W 1-036

- DIAGNOSTIC LED INDICATOR
- SHORT CIRCUIT PROTECTION
- OVER HEATING PROTECTION
- OVERCHARGING PROTECTION



RATED VOLTAGE	DC-20V
2AH BATTERY CHARGE TIME	1HR
4AH BATTERY CHARGE TIME	2HR
6AH BATTERY CHARGE TIME	N/A

